



**GALACTEA GROUP**  
Milk Cooler & Spare Parts



**GENERAL**  
**CATALOG**



## **A010 - COMPRESSORS - DANFOSS-MANEUROP**



**Danfoss-Maneurop hermetic refrigeration compressors**  
**3x400V - 50H --- 3x460V - 60Hz**  
**Valves non included**  
**With sight glass.**

**For further information please contact us or visit our website [www.galactea.eu](http://www.galactea.eu)**

023101 COMPRESSOR MTZ22-R404-2 HP-3-PHASE
023102 COMPRESSOR MTZ28-R404-2,5 HP-3-PHASE
023103 COMPRESSOR MTZ36-R404-3HP-3-PHASE
023104 COMPRESSOR MTZ40-R404A-3.5HP-3-PHASE
023105 COMPRESSOR MTZ50-R404A-4.5HP-3-PHASE
023106 COMPRESSOR MTZ64-R404A-5.5HP-3-PHASE
023108 COMPRESSOR MTZ80-R404A-6.5HP-3-PHASE
023109 COMPRESSOR MTZ100-R404A-8.5 HP-3-PHASE
023110 COMPRESSOR MTZ125-R404A-10 HP-3-PHASE
023112 COMPRESSOR MTZ160-R404A-13 HP-3-PHASE

## A012 - COMPRESSORS - UH-TECUMSEH



**TECUMSEH L'UNITE HERMETIQUE refrigeration compressors**  
**Valves non included**  
**Medium temperature range**

**Use: Suitable for milk coolers**

**Other models on request**

021105 COMPRESSOR TAJ4519Z-R404A-1,5HP-3-PHASE

021106 COMPRESSOR TFH4524Z-R404A-2HP-3-PHASE

021117 COMPRESSOR TAG4561Z-R404A-5HP-3-PHASE

021119 COMPRESSOR TAG4568Z-R404A-6HP-3-PHASE

021124 COMPRESSOR TFH4540Z-R404A-3HP-3-PHASE

021125 COMPRESSOR TAG4553Z-R404A-4,5HP-3-PHASE

021126 COMPRESSOR TFH4531Z-R404A-2.5 HP-3-PHASE

021127 COMPRESSOR TAG4573Z-R404A-6.5HP-3-PHASE

## A015 - COMPRESSORS - COPELAND



**COPELAND Scroll type compressor - with sight glass - with seals (valves not included)**

**For further information please contact us or visit our website [www.galactea.eu](http://www.galactea.eu)**

630201 COMPRESSOR SCROLL COPELAND ZB15 2HP 3-PHASE

630202 COMPRESSOR SCROLL COPELAND ZB19 2,5HP 3-PHASE

630203 COMPRESSOR SCROLL COPELAND ZB26 3,5HP 3-PHASE

630204 COMPRESSOR SCROLL COPELAND ZB30 4HP 3-PHASE

630205 COMPRESSOR SCROLL COPELAND ZB38 5HP 3-PHASE

630206 COMPRESSOR SCROLL COPELAND ZB45 6HP 3-PHASE

630207 COMPRESSOR SCROLL COPELAND ZB48 7HP 3-PHASE

630208 COMPRESSOR SCROLL COPELAND ZB57 8HP 3-PHASE

630210 COMPRESSOR SCROLL COPELAND ZB76 10HP 3-PHASE

630213 COMPRESSOR SCROLL COPELAND ZB95 13HP 3-PHASE

630214 COMPRESSOR SCROLL COPELAND ZB30 4HP 3-PHASE 220V 60Hz

630215 COMPRESSOR SCROLL COPELAND ZB38 5HP 3-PHASE 220V 60Hz

630216 COMPRESSOR SCROLL COPELAND ZB45 6HP 3-PHASE 220V 60Hz

630222 COMPRESSOR SCROLL COPELAND ZB19 2,5HP 1-PHASE

630223 COMPRESSOR SCROLL COPELAND ZB26 3,5HP 1-PHASE

630224 COMPRESSOR SCROLL COPELAND ZB42 5,5HP 1-PHASE

630225 COMPRESSOR SCROLL COPELAND ZB15 2HP 1-PHASE

630235 COMPRESSOR SCROLL COPELAND ZB114 15HP 3-PHASE



## A018 - COMPRESSOR ACCESSORIES



### 021201 COVER FOR CONNECTION BOX MANEUROP

Cover + spring of connection box for Maneurop compressors MT/MTZ 1 and 2 cylinders up to MT/MTZ 81



### 021316 CONNECTION BOX IP 54 MLZ 30 TO 76

Connection box IP 54 for DANFOSS SCROLL COMPRESSORS MLZ 30 to 76.



### 021334 POE SCROLL COPELAND OIL 1L

Oil for SCROLL COPELAND ZB compressors



### 021345 CRANKCASE HEATER COMPRESSOR MLZ

MLZ compressor crankcase.



### 021348 CRANKCASE HEATER COMPRESSOR SZ

MLZ compressor crankcase.

*Available NX*



### 021354 GASKET TEFLON 1"

Teflon gasket 1" for Rotalock adapter

*Available NX*



### 021355 GASKET TEFLON 1" 1/4

Teflon gasket 1" 1/4 for Rotalock adapter

*Available NX*



### 021356 GASKET TEFLON 1" 3/4

Teflon gasket 1" 1/4 for Rotalock adapter

## A019 - ROTALOCK VALVES & SHUT-OFF VALVES



### 020656 ROTALOCK VALVE 1" TUBE 1/2"

Rotalock valve 1", refrigerant pipe 1/2".

*Available NX*



### 020657 ROTALOCK VALVE 1" TUBE 5/8"

Rotalock valve 1", refrigerant pipe 5/8".

*Available NX*



### 020658 ROTALOCK VALVE 1'1/4" TUBE 7/8"

Rotalock valve 1"1/4, refrigerant pipe 7/8".

*Available NX*



### 020659 ROTALOCK VALVE 1" 3/4 TUBE 1" 1/8

Rotalock valve 1"3/4, refrigerant pipe 1"1/8.

*Available NX*



### 020660 ISOLATION VALVE 1/4 TURN 1/2"

1/4 turn shut-off valve, 1/2" / soldering ends.

*Available NX*



### 020660-SS ISOLATION VALVE 1/4 TURN 1/2" WITHOUT SCHRADER CONNECTION

1/4 turn shut-off valve, 1/2" / soldering ends.

*Available NX*



### 020661 ISOLATION VALVE 1/4 TURN 5/8"

1/4 turn shut-off valve, 5/8" / soldering ends.

*Available NX*



**020661-SS ISOLATION VALVE 1/4 TURN 5/8" WITHOUT SCHRADER CONNECTION**

1/4 turn shut-off valve, 5/8" / soldering ends.

*Available NX*



**020662 ISOLATION VALVE 1/4 TURN 7/8"**

1/4 turn shut-off valve, 7/8" / soldering ends.

*Available NX*



**020662-SS ISOLATION VALVE 1/4 TURN 7/8" WITHOUT SCHRADER CONNECTION**

1/4 turn shut-off valve, 7/8" / soldering ends.



**020664 ROTALOCK VALVE 1"1/4- TUBE 3/4"**

Rotalock valve 1"1/4, refrigerant tube 3/4".

*Available NX*



**020665 ROTALOCK VALVE 1"1/4- TUBE 5/8"**

Rotalock valve 1"1/4, refrigerant tube 5/8".

*Available NX*



**020666 ISOLATING VALVE 1/4 TURN 3/8"**

Isolating valve 1/4 turn , 3/8" soldering ends

*Available NX*



**020683 ANGLED VALVE 5/8"**

Angled valve inlet/outlet condensor or liquid start. Einlet and outlet 5/8" with pressure plug 1/4".

*Available NX*

# A025-01 - SCROLL COPELAND CONDENSING UNITS 3-PHASE



**Copeland SCROLL high performance condensing unit including:**

- SCROLL ZB hermetic compressor, 3 phase power supply
- Multi-refrigerant capability R448a, R449a, R404a, R407c, R134a and R22
- Tropicalized condenser, safety temperature class A: 43°C
- Service valves mounted on condenser
- Variable speed electric fan, pressostatic speed regulation
- Refrigerant line with filter dryer
- Rotalock valves on suction and pressure side of the compressor
- High and low pressure safety pressure switches
- Crankcase heater
- Solenoid freon valves and sight glass
- Phase controller (standard)
- Electrical box with contactors and protections complying to EN 60204 electrical standards (machines).

630251 COPELAND SCROLL CONDENSING UNIT ZB15 2HP 3-PHASE

630252 COPELAND SCROLL CONDENSING UNIT ZB19 2,5HP 3-PHASE

630253 COPELAND SCROLL CONDENSING UNIT ZB26 3,5HP 3-PHASE

630254 COPELAND SCROLL CONDENSING UNIT ZB30 4HP 3-PHASE

630255 COPELAND SCROLL CONDENSING UNIT ZB38 5HP 3-PHASE

630256 COPELAND SCROLL CONDENSING UNIT ZB45 6HP 3-PHASE

630257 COPELAND SCROLL CONDENSING UNIT ZB48 7HP 3-PHASE

630258 COPELAND SCROLL CONDENSING UNIT ZB57 8HP 3-PHASE

630260 COPELAND SCROLL CONDENSING UNIT ZB76 10HP 3-PHASE

630263 COPELAND SCROLL CONDENSING UNIT ZB95 13HP 3-PHASE

630265 COPELAND SCROLL CONDENSING UNIT ZB114 15HP 3-PHASE



## A025-03 - COMPLETE POWER SWITCH BOXES



### 010260 POWER SWITCH BOX PRE-WIRED 6-10A

Power box pre-wired, includes power contactor, 2 auxiliary contactors, a thermal magnetic circuit breaker 6-10A, a 6A circuit breaker (trip switch), a 4A circuit breaker (trip switch), a phase monitor, an adjustable delay timer, terminal block, rotary knob and cable glands.

*Available NX*



### 010261 POWER SWITCH BOX PRE-WIRED 10-16A

Power box pre-wired, includes power contactor, 2 auxiliary contactors, a thermal magnetic circuit breaker 10-16A, a 6A circuit breaker (trip switch), a 4A circuit breaker (trip switch), a phase monitor, an adjustable delay timer, terminal block, rotary knob and cable glands.-

*Available NX*



### 010262 POWER SWITCH BOX PRE-WIRED 20-25A

Power box pre-wired, includes power contactor, 2 auxiliary contactors, a thermal magnetic circuit breaker 20-25A, a 6A circuit breaker (trip switch), a 4A circuit breaker (trip switch), a phase monitor, an adjustable delay timer, terminal block, rotary knob and cable glands.

*Available NX*



### 010263 POWER SWITCH BOX PRE-WIRED 30-36A

Power box pre-wired, includes power contactor, 2 auxiliary contactors, a thermal magnetic circuit breaker 30-36A, a 6A circuit breaker (trip switch), a 4A circuit breaker (trip switch), a phase monitor, an adjustable delay timer, terminal block, rotary knob and cable glands.

*Available NX*

## A025-06 - SCROLL COPELAND CONDENSING UNITS SINGLE PHASE



Copeland SCROLL high performance condensing unit including:

- SCROLL ZB hermetic compressor, single phase power supply
- Multi-refrigerant capability R448a, R449a, R404a, R407c, R134a and R22
- Tropicalized condenser, safety temperature class A: 43°C
- Service valves mounted on condenser
- Variable speed electric fan, pressostatic speed regulation
- Refrigerant line with filter dryer
- Rotalock valves on suction and pressure side of the compressor
- High and low pressure safety pressure switches
- Crankcase heater
- Solenoid freon valves and sight glass
- Phase controller (standard)
- Electrical box with contactors and protections complying to EN 60204 electrical standards (machines).

630239 COPELAND SCROLL CONDENSING UNIT ZB15 2HP 1-PHASE

630240 COPELAND SCROLL CONDENSING UNIT ZB19 2.5HP 1-PHASE

630241 COPELAND SCROLL CONDENSING UNIT ZB26 3.5HP 1-PHASE

630243 COPELAND SCROLL CONDENSING UNIT ZB42 5.5HP 1-PHASE

## A027 - UH PISTON CONDENSING UNITS



**Air condensing unit with piston compressor. Suction valve and liquid outlet**

**with nitrogen filling. Single phase fan. Electrical connection box. Crankcase heater, sight glass, HP/LP switch**

**For performances of at least 2HP please see our A025 range of products**

620101	CONDENSING UNIT AEZ4425ZHR	1/5HP	1-PHASE	R404A
620102	CONDENSING UNIT AEZ4430ZHR	1/4HP	1-PHASE	R404A
620103	CONDENSING UNIT AEZ4440ZHR	1/3HP	1-PHASE	R404A
620104	CONDENSING UNIT CAE9460ZHR	1/2HP	1-PHASE	R404A
620107	CONDENSING UNIT CAJ9480ZHR	5/8HP	1-PHASE	R404A
620108	CONDENSING UNIT CAJ9510ZHR	1HP	1-PHASE	R404A
620109	CONDENSING UNIT CAJ9513ZHR	1.25HP	1-PHASE	R404A
620205	CONDENSING UNIT TAJ4519ZHR	1.5HP	3-PHASE	R404A
620207	CONDENSING UNIT TFH4524ZHR	2HP	3-PHASE	R404A
620208	CONDENSING UNIT TFH4531ZHR	2.5HP	3-PHASE	R404A
620209	CONDENSING UNIT TFHT4540ZHR	3HP	3-PHASE	R404A
620211	CONDENSING UNIT TAG4553ZHR	4.5HP	3-PHASE	R404A

## A030 - EXPANSION VALVES - ORIFICES



### 020501 EXPANSION VALVE TX2 R22 LIQUID CHARGE

Thermostatic expansion valve Danfoss 068Z3490 TX2 - range -10/+20°C - R22 with liquid charge (avoids the blockage of the expansion valve under extreme conditions). 3/8" - 1/2" flare fittings. Individually packed - orifice not included



### 020502 EXPANSION VALVE TS2 R404A

Thermostatic expansion valve Danfoss TS2-R404A- range -10/+20°C. Inlet 3/8" and outlet 1/2". Individually packed - orifice not included.

*Available NX*



### 020503 EXPANSION VALVE TES2 R404A

Thermostatic expansion valve TES2 R404A MOP Inlet to be screwed / outlet to be soldered

*Available NX*



### 020504 EXPANSION VALVE ORIFICE TX/TEX2 N°3

Orifice 068-2006 / 068-2023 for expansion valve Danfoss TX/TEX2 N°3. Individually packed.

*Available NX*



### 020505 EXPANSION VALVE ORIFICE TX/TEX2 N°4

Orifice 068-2007 / 068-2030 for expansion valve Danfoss TX/TEX2 N°4. Individually packed.

*Available NX*



### 020506 EXPANSION VALVE ORIFICE TX/TEX2 N°5

Orifice 068-2008 / 068-2031 for expansion valve Danfoss TX/TEX2 N°5. Individually packed.

*Available NX*



### 020507 EXPANSION VALVE ORIFICE TX/TEX2 N°6

Orifice 068-2009 / 068-2032 for expansion valve Danfoss TX/TEX2 N°6. Individually packed.

*Available NX*





### 020512 EXPANSION VALVE TE2 R448A/R449A - FLARE/FLARE

Thermostatic expansion valve Danfoss TE2 - R448A/R449A - range -10/+20°C. Inlet 3/8" and outlet 1/2". Individually packed - orifice not included.

*Available NX*



### 020520 EXPANSION VALVE ORIFICE TUA R404A

Thermostatic expansion valve Danfoss 068U2285 TUA - R404A- range N -40/+10°C - without MOP. Solder connections 3/8" - 1/2". Individually packed without orifice.



### 020521 EXPANSION VALVE T2 R448A R449A

Thermostatic expansion valve Danfoss T2-R448A R449A- range -10/+20°C. Inlet 3/8" and outlet 1/2". Individually packed - orifice not included.

*Available NX*



### 020522 THERMOSTATIC ELEMENT TE5 R448A R449A

Thermostatic element for external pressure equalization on the coupling 1/4". Capillary length 3 meters.

*Available NX*



### 020526 EXPANSION VALVE ORIFICE TUA / TUAE N° 07

Orifice N°7, 068U1037, for expansion valve Danfoss TUA / TUAE. Individually packed.



### 020527 EXPANSION VALVE ORIFICE TUA / TUAE N° 08

Orifice N°8, 068U1038, for expansion valve Danfoss TUA / TUAE. Individually packed.



### 020528 EXPANSION VALVE ORIFICE TUA / TUAE N° 09

Orifice N°9, 068U1039, for expansion valve Danfoss TUA / TUAE. Individually packed.



### 020530 EXPANSION VALVE TCAE R404A

Thermostatic expansion valve Danfoss 068U4304 TCAE-R404A- range N -40/+10°C - without MOP. Solder connections 3/8" - 5/8". Individually packed without orifice.

*Available NX*



**020531 EXPANSION VALVE ORIFICE TCAE N° 02**

Orifice N°2, 068U4101, for expansion valve Danfoss TCAE. Individually packed.



**020532 EXPANSION VALVE ORIFICE TCAE N° 03**

Orifice N°3, 068U4102, for expansion valve Danfoss TCAE. Individually packed.



**020533 EXPANSION VALVE ORIFICE TCAE N° 01**

Orifice N°1, 068U4100 for expansion valve Danfoss TCAE. Individually packed.



**020539 ANGLED BODY OF EXPANSION VALVE TE5**

Angled body of expansion valve TE5. Inlet 1/2" for soldering, outlet 5/8" for soldering



**020540 THERMOSTATIC ELEMENT TES 5 N R404A**

Thermostatic element for external pressure equalization on the coupling 1/4". Capillary length 3 meters.



**020542 ORIFICE TE5 N°04**

Orifice N° 4 for expansion valves TE 5. Nominal power R404A: from 35,7 kW to +5 / 32. Nominal power R22: from 46 kW to +5 / 32.

*Available NX*



**020544 ORIFICE TE5 N°01**

Orifice N°01 for expansion valve TE5

*Available NX*



**020546 ORIFICE TE5 N°02**

Orifice N°02 for expansion valve TE5

*Available NX*



**020548 ORIFICE TE5 N°03**

Orifice N°03 for expansion valve TE5

*Available NX*



**020550 EXPANSION VALVE ADAPTOR TS/TE52 - 1/2" - 1/2" (SET OF 2 PIECES)**

EXPANSION VALVE ADAPTOR TS/TE52 - 1/2" - 1/2"

*Available NX*



**020551 EXPANSION VALVE ADAPTOR TS/TE52 - 1/4" - 1/4" (SET OF 2 PIECES)**

EXPANSION VALVE ADAPTOR TS/TE52 - 1/4" - 1/4"



**020552 EXPANSION VALVE TS/TE52 - 3/8" - 3/8" (SET OF 2 PIECES)**

EXPANSION VALVE ADAPTOR TS/TE52 - 3/8" - 3/8"



**020553 EXPANSION VALVE ADAPTOR TS/TE52 - 5/8" - 5/8" (SET OF 2 PIECES)**

EXPANSION VALVE ADAPTOR TS/TE52 - 5/8" - 5/8"



**020555 ANGLED BODY OF EXPANSION VALVE TE12 TQ20 5/8\*7/8**

Angled Body of Expansion valve TE12 TQ20 5/8\*7/8 ODF



**020557 THERMOSTATIQUE ELEMENT TES 12 N R404**



**020560 FLARE NUT 1/4"**

Flare nut 1/4".



**020561 FLARE NUT 3/8"**

Flare nut 3/8"



**020562 FLARE NUT 1/2"**

Flare nut 1/2"



**020563 FLARE NUT 5/8"**

Flare nut 5/8"



## A032 - REFRIGERANT VALVES



### 020601 REFRIGERANT VALVE BODY EVR10 FLARE

Body for Danfoss refrigerant valve EVR10. 1/2" flare connections

*SERAP, JAPY*



### 020602 REFRIGERANT VALVE BODY EVR10 SOLDER 1/2"

Body for Danfoss refrigerant valve EVR10. 1/2" solder connections

*Available NX, SERAP, PROMINOX, JAPY*



### 020603 REFRIGERANT VALVE BODY EVR6 SOLDER 1/2"

Body for Danfoss refrigerant valve EVR6. 1/2" solder connections

*Available NX, SERAP, PROMINOX, JAPY*



### 020604 REFRIGERANT VALVE BODY EVR15 SOLDER 7/8"

Body for Danfoss refrigerant valve EVR15. 7/8" solder connections

*Available NX*



### 020605 REFRIGERANT VALVE BODY EVR10 SOLDER 5/8"

Body for Danfoss refrigerant valve EVR10. 5/8" solder connections

*Available NX, SERAP, PROMINOX, JAPY*



### 020606 REFRIGERANT VALVE BODY EVR20 SOLDER 7/8"

Body for Danfoss refrigerant valve EVR20. 7/8" solder connections

*Available NX, SERAP, PROMINOX, JAPY*



### 020651 SOLENOID COIL REFRIGERANT VALVE EVR10 380V

Solenoid coil for Danfoss refrigerant valve EVR10. 380/400V 50Hz with 1 meter cable.

*JAPY*



### **020653 FREON 230V 50/60HZ VALVE COIL**

Solenoid coil 230V 50/60Hz for Danfoss refrigerant valve EVR

*Available NX, SERAP, PROMINOX, JAPY*



### **020655 TESTER ELECTROMAGNETIC VALVE**

Permanent coil for keeping open an electromagnetic solenoid refrigerant valve (for example).

## A033 - PRESSURE SWITCHES



### 020701 PRESSURE SWITCH LP 1/2,3 BAR

DANFOSS cartridge pressure switch with fixed range of LP safety pressure / cut-out value 1 bar / cut-in value 2.3 bar / double insulated cable

Available NX



### 020702 PRESSURE SWITCH HP 21/31 BAR

DANFOSS cartridge pressure switch with fixed range of HP safety pressure / cut-out value 31 bar / cut-in value 21 bar / double insulated cable.

Available NX



### 020703 PRESSURE SWITCH 14/19 BAR

DANFOSS cartridge pressure switch with fixed fan controlling range / cut-out value 14 bar / cut-in value 19 bar / double insulated cable.

Available NX



### 020706 VARIABLE SPEED DRIVE FOR FAN JC

Pressure variable speed drive for speed control of single-phase fans 200 à 240V, 50/60Hz.4A. 1/4" female flare connection. Variation from 30 to 95%.

Available NX



### 020711 FAN PRESSURE SWITCH

Pressure switch with automatic rearming, regulation 8-32bars and differential adjustable from 1,8 to 6 bars.

Available NX



### 020712 PRESSURE SWITCH HOLDER

Pressure switch support

Available NX



### 020713 CAPILLARY COPPER PRESSURE PLUG 1/4"

Capillary copper pressure plug, 1m long.

Available NX



### 020714 FAN PRESSURE KIT

Fan pressure switch, including 1 fan pressure switch(020711), 1 pressure switch support(020712) and 1 capillary pressure switch 1/4" (020713)

*Available NX*



### 020717 MECHANICAL PRESSURE SWITCH LP-HP

Adjustable mechanical low and high pressure switch with automatic reset. Adjustment of the LP between -0.2 and 7.5 bar, adjustable LP differential between 0.7 and 4. Adjustment of the HP between 8 and 32 bars.

*Available NX*



### 020720 CONNECTOR 1/4" SAE Length 700mm

CONNECTOR 1/4" SAE Length 700mm



## A034-10 - CONDENSERS - GALACTEA PRO-INOX



**Condensers for PRO-INOX milk coolers from 2010 onwards**

**Mixed range (standard - tropicalized)**

024001	CONDENSER 1 FAN 2N36T-2HP
024002	CONDENSER 1 FAN 3N24T-2.5 HP
024003	CONDENSER 1 FAN 3N24-3.5 HP
024004	CONDENSER 1 FAN 3N24T-4.5 HP
024005	CONDENSER 1 FAN 3N29T-5.5 HP
024006	CONDENSER 1 FAN 5N29T-6.5 HP
024007	CONDENSER 2 FANS 3N24T-7.5 HP
024008	CONDENSER 2 FANS 3N36T-10 HP
024010	CONDENSER 2 FANS XNXXT -12HP
024012	CONDENSER 2 FANS 4N36T -13HP

## A034-20 - CONDENSORS - PROMINOX



**After-sales condensers for ALFA LAVAL, PROMINOX and GALACTIC (JAPY) tanks until 2010**

024031 CONDENSER 1 FAN FOR GROUPS MT22/MT28/MTZ22/MTZ28

024032 CONDENSER 2 FANS FOR GROUPS MT36/MTZ28/MTZ36/MTZ40

024034 CONDENSER 2 FANS FOR GROUPS MT40/MTZ40

024036 CONDENSER 2 FANS FOR GROUPS MT50/MT64/MTZ40/MTZ50/MTZ64

024038 CONDENSER 2 FANS FOR GROUPS MT80 / MTZ80

024040 CONDENSER 2 FANS FOR GROUPS 2MT100/2MTZ100/2MTZ80

024042 CONDENSER 3 FANS

## A034-50 - REFRIGERANT RECEIVERS



### 820102 LIQUID RECEIVER 2 LITERS

Receiver 2 liters.



### 820105 LIQUID RECEIVER 5 LITERS

Receiver 5 liters - inlet 1/2" solder connection - outlet Rotalock valve 5/8" - Fastening by centrally located screw M8.



### 820105 LIQUID RECEIVER 5 LITERS

Receiver 5 liters - inlet 1/2" solder connection - outlet Rotalock valve 5/8" - Fastening by centrally located screw M8.



### 820107 LIQUID RECEIVER 7 LITERS

Receiver 7 liters - inlet 5/8" solder connection - outlet Rotalock valve 5/8" - Fastening by centrally located screw M10.



### 820111 LIQUID RECEIVER 11 LITERS

Receiver 11 liters - inlet 3/4" solder connection - outlet Rotalock valve 7/8" - Fastening by centrally located screw M10.



### 820115 LIQUID RECEIVER 14,5 LITERS

Receiver 14.5 liters - inlet 3/4" solder connection - outlet Rotalock valve 7/8" - Fastening by centrally located screw M10.

## A035 - FILTER DRYERS



### 020101 FILTER DRYER RECEIVER KAR 3 - 3/8" SAE

Filter dryer KAR 3 filter/receiver/sight glass - 3/8" - screw type fitting

*SERAP, JAPY*



### 020102 FILTER DRYER RECEIVER KAR 4 - 1/2" SAE

Filter dryer KAR 4 filter/receiver/sight glass - 1/2" - screw type fitting

*JAPY, SERAP*



### 020121 FILTER DRYER 52 1/4" WITH SCREW TYPE FITTING

Filter dryer 52 1/4" screw type fitting - MG 112 1/4 CD.052



### 020124 FILTER DRYER 83 - 3/8" - WITH SCREW TYPE FITTING DML083

Filter dryer 83 3/8" screw type fitting DML 083 F 3/8"

*Available NX, PROMINOX*



### 020125 FILTER DRYER 84 - 1/2" - WITH SCREW TYPE FITTING DML084

Filter dryer 84 1/2" screw type fitting DML 084 F 1/2"

*Available NX, PROMINOX*



### 020127 FILTER DRYER 164 1/2" WITH SCREW TYPE FITTING

Filter dryer 164 1/2" screw type fitting - 164MG234 - Package of 50 units

*Available NX, PROMINOX, SERAP*



### 020128 FILTER DRYER 165 - 5/8" - WITH SCREW TYPE FITTING DML165

Filter dryer 165 5/8" screw type fitting DML 165 F 5/8"

*SERAP*





**020129 FILTER DRYER 304 - 1/2" - WITH SCREW TYPE FITTING DML304**

Filter dryer 304 1/2" screw type fitting DML 304 F 1/2"



**020144 FILTER DRYER 83 - 3/8" - WITH WELDING END DML083**

Filter dryer 83 3/8" welding end DML 083 S 3/8"



**020145 FILTER DRYER 84 - 1/2" - WITH WELDING END DML084**

Filter dryer 874 1/2" welding end DML 084 S 1/2"

*PRO-INOX*



**020147 FILTER DRYER 164 - 1/2" - WITH WELDING END DML164**

Filter dryer 164 1/2" welding end DML 164 S 1/2"

*JAPY, PRO-INOX*



**020148 FILTER DRYER 165 - 5/8" - WITH WELDING END DML083**

Filter dryer 165 5/8" welding end DML 165 S 5/8"

*JAPY, PRO-INOX*



**020149 FILTER DRYER 304 - 1/2" - WITH WELDING END DML304**

Filter dryer 304 1/2" welding end DML 304 S 1/2"



**020150 FILTER DRYER 305 - 5/8" - WITH WELDING END DML305**

Filter dryer 305 5/8" welding end DML 305 S 5/8"



**020154 FILTER DRYER 417 - 7/8" - WITH WELDING END DML417**

Filter dryer 417 7/8" welding end DML 417 S 7/8"

*Available NX, PRO-INOX*

## A036 - REFRIGERANT SIGHT GLASSES



### 020209 REFRIGERANT SIGHT GLASS 5/8" MALE/FEMALE

REFRIGERANT SIGHT GLASS 5/8" MALE/FEMALE



### 630114 REFRIGERANT SIGHT GLASS 3/8" - SOLDERED ENDS

Refrigerant sight glass 3/8" - soldered ends.

*Available NX*



### 630115 REFRIGERANT SIGHT GLASS 1/2" - SOLDERED ENDS

Refrigerant sight glass 1/2" - soldered ends.

*Available NX*



### 630116 REFRIGERANT SIGHT GLASS 5/8" - SOLDERED ENDS

Refrigerant sight glass 5/8" - soldered ends.

*Available NX*



### 630117 REFRIGERANT SIGHT GLASS 7/8" - SOLDERED ENDS

Refrigerant sight glass 7/8" - soldered ends.

*Available NX*

## A041 - FANS - ELCO



For further information please contact us or visit our website [www.galactea.eu](http://www.galactea.eu)

010105 FAN MOTOR 5W/32W 1X230V ELCO

010106 FAN MOTOR 10W/38W 1X230V ELCO

010110 FAN MOTOR 120W ELCO

010111 FAN MOTOR 25W/105W 1X400V ELCO

010112 FAN MOTOR 34W/110W 1X400V ELCO

010113 FAN 220V - 25W - YJF325

## A042 - FANS - ZIEHL ABEGG



Range of single phase and 3 phase motor fans. Replaces LEROY SOMER product range.

Includes Motors & Fan + cage.

For further information please contact us or visit our website [www.galactea.eu](http://www.galactea.eu)

010120 FAN Ø 250 ZIEHL-ABEGG 1-PHASE
010121 FAN Ø 300 ZIEHL-ABEGG 1-PHASE
010122 FAN Ø 350 ZIEHL-ABEGG 1-PHASE
010123 FAN Ø 400 ZIEHL-ABEGG 1-PHASE
010124 FAN Ø 450 ZIEHL-ABEGG 1-PHASE
010125 FAN Ø 500 ZIEHL-ABEGG 1-PHASE
010129 FAN Ø 630 ZIEHL-ABEGG 1-PHASE
010132 FAN Ø 350 ZIEHL-ABEGG 3-PHASE
010133 FAN Ø 400 ZIEHL-ABEGG 3-PHASE
010135 FAN Ø 500 ZIEHL-ABEGG 3-PHASE
010136 FAN Ø 350 ZIEHL-ABEGG 1-PHASE / 3-PHASE
010137 FAN Ø 400 ZIEHL-ABEGG 1-PHASE / 3-PHASE



## A060 - DEEPCOOL



### 490303 CAN DEEPCOOL A/C OIL - 113gr

Deepcool® A/C Oil Chill™ is a universal oil for A/C systems compatible with mineral oils, ester and PAG. Deepcool® A/C Oil Chill™ may be used in air-conditioning and refrigeration systems containing the refrigerants Deepcool 12a®, Deepcool 22a®, Deepcool 502a®, R-12, R-134a, R-22 and R-502. The added OEM approved U/V leak detection dye helps in pin-pointing system leaks. Visible to the naked eye, but improved visibility when used with a UV LED lamp.



### 490306 DEEPCOOL SEALQUICK - LEAK SEALER

Deepcool® SealQuick™ seals instantly leaks at O-rings and gaskets. The 113 g can contains a sufficient amount of Deepcool® SealQuick™ to repair minor leaks in a 1 to 2.3 kg A/C system. Deepcool® SealQuick™ may be used in air-conditioning systems containing refrigerants Deepcool 12a®, Deepcool 22a®, Deepcool 502a®, CFC-12, R-134a, R-22 and R-502.



### 490307 DEEPCOOL SYSTEMSEAL - FULL SYSTEM LEAK SEALER

Deepcool® SystemSeal™ seals minor leaks in the evaporator, condenser, gaskets, O-rings, connecting fittings and metal lines. The 113 g can contains a sufficient amount of Deepcool® SystemSeal™ to seal minor leaks in a 1 to 2.3 kg A/C system (if the leak does not empty the system within 24 hours, one can of Duracool® SystemSeal™ will usually be sufficient to stop the leak. Two or more applications may be necessary if the leaks persists. Deepcool® SystemSeal™ may be used in most air-conditioning systems and is compatible with refrigerants such as Deepcool 12a®, Deepcool 22a®, Deepcool 502a®, CFC-12, R-134a, R-22 and R-502.



### 490405 DC3000 ECONOMY REFILL HOSE

Refill hose for automotive A/C systems with R-134a type quick coupler. Comes with easy to follow instructions. Solid construction. Suitable for Duracool® cans.

## A070 - INSULATING FOAM



### 020801 ADHESIVE TAPE ROLL

Tape, length 15m; width 50mm & 3mm thick.

*Available NX*



### 020809 FOAM INSULATION HOSE Ø12MM (1/2")

Insulation foam tube Ø12, thickness 13mm (sold by meter, by 2m length)

*Available NX*



### 020811 FOAM INSULATION HOSE Ø18MM

Insulation foam tube Ø18, thickness 13mm (sold by meter, by 2m length)

*Available NX*



### 020813 FOAM INSULATION HOSE Ø22MM

Insulation foam tube Ø22, thickness 13mm (sold by meter, by 2m length)

*Available NX*



### 020815 FOAM INSULATION HOSE Ø28MM

Insulation foam tube Ø28, thickness 13mm (sold by meter, by 2m length)

*Available NX*

## A075-10 - SOUDURE - BRASURE



### 020221 CASTOLIN BRAZING SOLDER 40% SILVER 20/10 - 61 RODS - 1 KG

Rod 40% silver, coated with remover  
Supplied in boxes of 1kg  
About 61 rods per box.

Available NX



### 020222 CASTOLIN BRAZING COPPER SOLDER D2 - 190 RODS - 1KG

Copper brazing solder, conditioning 1kg.

Available NX



### 020241 CASTOLIN BRAZING SOLDER 40% SILVER 20/10 - 12 RODS - APPROX. 200G

Rod 40% silver, coated with remover  
12 rods per box.  
Net weight About 200g

Available NX




### 020242 CASTOLIN BRAZING COPPER SOLDER D2 - 38 RODS APPROX. 200G

Copper brazing solder, conditioning 200g.

Available NX

## B020 - PLATE-TYPE EXCHANGERS



**Plate type heat exchangers (19 to 109 plates) - Single flow - milk and water inlet flow depending on model - generally the outlet milk temperature is 3 or 4°C above the water inlet temperature.**

009950 PLATE-TYPE HEAT EXCHANGER S 19 S - 950 L/H

009951 PLATE-TYPE HEAT EXCHANGER 21 - 1200 L/H

009952 PLATE-TYPE HEAT EXCHANGER 25 - 1450 L/H

009953 PLATE-TYPE HEAT EXCHANGER 27 S - 1650 L/H

009954 PLATE-TYPE HEAT EXCHANGER 31 - 1900 L/H

009955 PLATE-TYPE HEAT EXCHANGER 37 - 2350 L/H

009956 PLATE-TYPE HEAT EXCHANGER 43 - 2750 L/H

009958 PLATE-TYPE HEAT EXCHANGER 55 - 3650 L/H

009961 PLATE-TYPE HEAT EXCHANGER 29 - 3944 L/H

009963 PLATE TYPE EXCHANGER 39 M - 5304 L/H

009965 PLATE TYPE EXCHANGER 49 M - 6664 L/H

009967 PLATE TYPE EXCHANGER 59 M - 8024 L/H

009970 PLATE TYPE EXCHANGER 75 M-10200 L/H

009973 PLATE TYPE EXCHANGER 89 M-12104 L/H

009992 PLATE TYPE EXCHANGER 85 XL-15725 L/H

009997 PLATE TYPE EXCHANGER 109XL-20165 L/H



# B033-20 - ENERGY-Nx SPIRAL HEAT EXCHANGERS PVC JACKET



**Spiral heat exchanger 1 or 2 coils**  
**Inner container stainless steel AISI 444**  
**PVC outer jacket**  
**Injected polyurethane foam insulation (50mm.)**  
**Cold water inlet stub 3/4"**  
**Hot water outlet stub 3/4"**

**STANDARD:**

- Anode magnesium
- Thermometer

**OPTIONS:**

- Electric immersion heater with safety thermostat adjustable up to 90°C - traditional or advanced steatite version
- Safety group - Anti-scaling unit
- Stainless steel outer jacket
- Wall mounted (up to 200L) or floor mounted
- Mounting hole for electrical resistor 2" with reduction and screw cap

RP02001S ENERGY-Nx SPIRAL HEATER	200 L	1 CF	PVC JACKET ON FEET
RP02002S ENERGY-Nx SPIRAL HEATER	200 L	2 CF	PVC JACKET ON FEET
RP03001S ENERGY-Nx SPIRAL HEATER	300 L	1 CF	PVC JACKET ON FEET
RP03002S ENERGY-Nx SPIRAL HEATER	300 L	2 CF	PVC JACKET ON FEET
RP04001S ENERGY-Nx SPIRAL HEATER	400 L	1 CF	PVC JACKET ON FEET
RP04002S ENERGY-Nx SPIRAL HEATER	400 L	2 CF	PVC JACKET ON FEET
RP05001S ENERGY-Nx SPIRAL HEATER	500 L	1 CF	PVC JACKET ON FEET
RP05002S ENERGY-Nx SPIRAL HEATER	500 L	2 CF	PVC JACKET ON FEET

## B035-10 - HEAT RECOVERY SYSTEMS - HEATERS



### 821013 HEATER 3KW 3-PHASE WITH ADJUSTABLE THERMOSTAT

Immersion heater 3KW 230/400V 3 phase, Length: 270mm. 1"1/2. Composed of 3 simple Incoloy800 pins, diameter 8,5mm.  
Connexion box with adjustable setting from 0 to 90°C.



### 821016 HEATER 6KW ADJUSTABLE THERMOSTAT - 220V/400V 3-PHASE



Immersion heater 6KW 230/400V 3 phase, length: 480mm. 1"1/2. Composed of 3 simple Incoloy800 pins, diameter 8,5mm.  
Connexion box with adjustable setting from 0 to 90°C.



### 821022 HEATER STEATITE 3KW SINGLE PHASE

3 kW heater - Single phase 230 V - size= XX mm-tube s/s-2"- with waterproof box and adjustable thermostat

## B035-20 - HEAT RECOVERY SYSTEMS - SPARES



### 820016 STRAIGHT SAFETY GROUP 3/4"

Straight safety group 3/4"



### 820017 AUTOMATIC AIR VALVE, BRASS, 3/8"

Automatic air valve, brass 3/8"



### 820018 THERMOMETER 0-120 1/2" LENGTH 100

Thermometer 0-120 1/2" Length : 100mm



### 820019 PLUG 1/2" - 15/21 BRASS

Plug 1/2" - 15/21 brass



### 820020 PLUG 1" - 26/34 BRASS

Plug 1" - 26/34 brass



### 820021 PLUG 1" 1/2 - 40/49 BRASS

Plug 1 1/2" - 40/49 brass



### 820201 ANTI-SCALING STATION / FILTER

Filtre double en trois parties - Raccordement 3/4" FF avec insert laiton - Tête et bague en polypropylène - Cuve transparente en SAN - Events en laiton - Equipée d'une cartouche bobinée 25 µ et d'une cartouche anti-tartre aux polyphosphates - Livré complet avec équerre de fixation murale vis joints et clé de démontage.



### 820202 ANTI-SCALING/ANTI-CORROSION DEVICE

Anti-scaling/anti-corrosion device



### 820203 POLYPHOSPHATE RECHARGE FOR ANTI-SCALING PURPOSE (820202)

Polyphosphate refill for anti-scaling / anti-corrosion device (820202) - Box contains 6 packets



### 820301 MIXING VALVE 0/40°C

Thermostatic mixing valve 1". Setting Range from 0 to 40°C. Especially for blending hot water from the heat recovery system and cold water in drinking troughs.



### 825110 CIRCULATOR NSB15-15B

Circulation pump for hot water for sanitary use NSB15-15B for heat recovery system ECOLACTEO 10 and PRO-INOX 20.



### 825111 CIRCULATING PUMP NSB30-25B

Circulation pump for hot water for sanitary use NSB30-25B for heat recovery system ECOLACTEO 20, 30 and 2 x 20.



## B040 - TWIST & COOL

*Twist  
and Cool*



### Modular linear pre-cooler TWIST AND COOL

From 500 to 3000Liters of milk per milking

Our pre-cooler is suitable for conventional milking, milking robots and rotary milking parlors.

#### Advantages

- Quick and easy to install
- Energy saving on the tank's power consumption
- Increases the condensing units lifespan
- Allows to install less powerful condensing units
- Limits the risk of lipolysis by decreasing thermal shock
- Reduces the risks of degrading the milk's quality during breakdown

PRL\_1X204 PRE-COOLER LINEAR TWIST & COOL 1X20 IN 4ML

PRL\_1X204R PRE-COOLER LINEAR TWIST & COOL 1X20 IN 4ML FOR ROBOTS

PRL\_1X205 PRE-COOLER LINEAR TWIST & COOL 1X20 IN 5ML

PRL\_1X205R PRE-COOLER LINEAR TWIST & COOL 1X20 IN 5ML FOR ROBOTS

PRL\_1X244 PRE-COOLER LINEAR TWIST & COOL 1X24 IN 4ML

PRL\_1X244R PRE-COOLER LINEAR TWIST & COOL 1X24 IN 4ML FOR ROBOTS

PRL\_1X255 PRE-COOLER LINEAR TWIST & COOL 1X25 IN 5ML

PRL\_1X255R PRE-COOLER LINEAR TWIST & COOL 1X25 IN 5ML FOR ROBOTS

PRL\_2X204 PRE-COOLER LINEAR TWIST & COOL 2X20 IN 4ML

PRL\_2X205 PRE-COOLER LINEAR TWIST & COOL 2X20 IN 5ML

PRL\_2X244 PRE-COOLER LINEAR TWIST & COOL 2X24 IN 4ML

PRL\_2X255 PRE-COOLER LINEAR TWIST & COOL 2X25 IN 5ML

PRL\_3X204 PRE-COOLER LINEAR TWIST & COOL 3X20 IN 4ML

PRL\_3X205 PRE-COOLER LINEAR TWIST & COOL 3X20 IN 5ML

PRL\_3X244 PRE-COOLER LINEAR TWIST & COOL 3X24 IN 4ML

PRL\_3X255 PRE-COOLER LINEAR TWIST & COOL 3X25 IN 5ML

PRL\_4X204 PRE-COOLER LINEAR TWIST & COOL 4X20 IN 4ML

PRL\_4X205 PRE-COOLER LINEAR TWIST & COOL 4X20 IN 5ML

PRL\_4X244 PRE-COOLER LINEAR TWIST & COOL 4X24 IN 4ML

PRL\_4X255 PRE-COOLER LINEAR TWIST & COOL 4X25 IN 5ML

## C010-90 - AGITATOR MOTORS WITH RETURN ANGLE

### 038501 AGITATOR MOTOR ADAPTABLE FIC 25RPM - 230/400V



Agitator motor adaptable for FIC milk cooler. Voltage 3x 230/400V. Speed 25rpm. For shaft with 25mm diameter.

*FIC - FRIGOMILK*

## C020-05 - TERMINAL BOXES - SIREM COMPATIBLE

### 037006-S TERMINAL BOX SMALL MODEL SIREM COMPATIBLE



Terminal box small model - SINGLE-PHASE and THREE-PHASE - Hole for P3-1

### 037008-S TILT SWITCH - MICRO-SWITCH SIREM COMPATIBLE



Tilt switch for big model of terminal box

### 037010-S TERMINAL BOX BIG MODEL SIREM COMPATIBLE



Terminal box big model - for 230V single-phase pump

## C020-10 - STATORS - SIREM COMPATIBLE



### 035002-S STATOR 225 380V SIREM COMPATIBLE

Stator for agitator motor 225 - 1x400V P 50HZ - shaded pole - thermal protection - single sense of rotation - without housing



### 035004-S STATOR 3225 230/400V SIREM COMPATIBLE

Stator for agitator motor 3225 - 3x230/400V P 50Hz - thermal protection - double sense of rotation - with aluminium flange



### 035005-S STATOR 245 230/400V SIREM COMPATIBLE

Stator for agitator motor 245 - 1x230/400V 50Hz - shaded pole - without thermal protection - without housing



### 035006-S STATOR 245 230V SIREM COMPATIBLE

Stator for agitator motor 245 - 230V P 50Hz - COS - without housing



### 035007-S STATOR 245 400V SIREM COMPATIBLE

Stator for agitator motor 245 - 400V P 50Hz - without housing



### 035008-S STATOR 1C245 230V SIREM COMPATIBLE

Stator for agitator motor 1C 245 - 1x230V P 50-60Hz - with capacitor - thermal protection - double sense of rotation - with aluminium flange



### 035009-S STATOR 3245 230/400 SIREM COMPATIBLE

Stator for agitator motor 3 245 3x230/400V P 50Hz - thermal protection - double sense of rotation - with aluminium flange



### 035010-S STATOR 3245 230/400 WITHOUT FLANGE SIREM COMPATIBLE

Stator for agitator motor 3 245 3x230 / 400V P 50Hz - double sense of rotation - without housing, end of series, article being replaced by 035009





### **035013-S STATOR 1C245 230V WITHOUT FLANGE SIREM COMPATIBLE**

Stator for agitator motor 1C245 - 1x230V P 50-60Hz - with capacitor - Thermal protection - double sense of rotation - without aluminium housing - end of series

## C020-15 - ROTORS - SIREM COMPATIBLE

### 035035-S ROTOR R245 DB/FB/HB SIREM COMPATIBLE



Rotor for agitator motor R 245 du type DB / FB or HB

### 035036-S ROTOR R1C225 SIREM COMPATIBLE



Rotor for agitator motor R1C 225

### 035037-S ROTOR R1C245 SIREM COMPATIBLE



Rotor for agitator motor R1C 245

### 035038-S ROTOR R3225 SIREM COMPATIBLE



Rotor for agitator motor R3 225

### 035039-S ROTOR R3245 N SIREM COMPATIBLE



Rotor for agitator motor R3 245 new model

# C020-20 - 1ST GEAR WHEELS - SIREM COMPATIBLE



## 035101 1ST GEAR WHEEL F TYPE - SIREM COMPATIBLE

1st double wheel 2064 AH - Sirem compatible for F type agitator motor - Hostaform - 21/30/40 rpm - (62 helical teeth/m0.7 and 12 straight teeth/m1) - substitutable without modification



## 035102-S 1ST GEAR WHEEL F TYPE SIREM COMPATIBLE

1st double wheel 2100 CH - for F type agitator motor - 48rpm - Hostaform



## 035103 1ST GEAR WHEEL F TYPE - SIREM COMPATIBLE

1st double wheel 2064 PC - Sirem compatible for F type agitator motor - Celoron - 21/30/40 rpm - (62 helical teeth/m0.7 and 12 straight teeth/m1) - substitutable without modification



## 035104 1ST GEAR WHEEL F TYPE - SIREM COMPATIBLE

1st double wheel 2100 CC - Sirem compatible for F type agitator motor - Celoron - 48 rpm - (without sliding bearings 035401) - (62 helical teeth/m0.7 and 8 straight teeth/m1) - substitutable without modification



## 035106-S 1ST GEAR WHEEL F TYPE SIREM COMPATIBLE

1st double wheel for F type agitator motor 200 rpm-2100 HC- 62D / m0,7 inclined and 16D / m1 straight



## 035107-S SHAFT 1ST GEAR WHEEL F TYPE 21/30/40 RPM SIREM COMPATIBLE

Shaft 2064 B1 for 1st double wheel for gear train 2064 PC - 21 / 30 / 40 rpm



## 035108 1ST GEAR WHEEL D & H TYPE - SIREM COMPATIBLE

1st double wheel 1290 EA - Sirem compatible - for H and D type agitator motor - Hostaform - 25/30/39 rpm (without sliding bearings 035401) - (54 helical teeth/m0.7 and 11 straight teeth/m1) - substitutable without modification



## 035110 1ST GEAR WHEEL D & H TYPE - SIREM COMPATIBLE

1st double wheel 1290 AC - Sirem compatible for H and D type agitator motor - Celoron - 10.5/21 rpm - (without sliding bearings 035401) - (62 helical teeth/m0.7 and 9 straight teeth/m1) - substitutable without modification

JAPY, SERAP



**035111 1ST GEAR WHEEL D & H TYPE - SIREM COMPATIBLE**

1st double wheel 1290 EC - Sirem compatible for H and D type agitator motor - Celoron - 25/30/39 rpm - (without sliding bearings 035401) - (54 helical teeth/m0.7 and 11 straight teeth/m1) - substitutable without modification

*JAPY, SERAP, PROMINOX*



**035112-S 1ST GEAR WHEEL D & H TYPE SIREM COMPATIBLE**

1st double wheel for H and D type agitator motor - Celoron - 48 rpm - (without sliding bearings 035401) - (54 helical teeth/m0.7 and 11 straight teeth/m1)



**035113-S 1ST GEAR WHEEL L & M TYPE SIREM COMPATIBLE**

1st double wheel for L and M type agitator motor - Celoron - 30 rpm (46 helical teeth/m0.9 and 13 helical teeth/m1)



**035114-S 1ST GEAR WHEEL OLD N/L & M TYPE SIREM COMPATIBLE**

1st double wheel for gear train - Celoron - 21/23 rpm - N type - old version before 1993 (without sliding bearings 035404) - 1st double wheel for gear train - Celoron - 21/32 rpm - M type - (42 helical teeth/m0.9 and 9 straight teeth/m1)



**035119 1ST GEAR WHEEL NEW N TYPE - SIREM COMPATIBLE**

1st double wheel 1000 AC - Sirem compatible for N type agitator motor - Celoron - Version 22 or 23 rpm - (after 1993) - (42 helical teeth/m0.9 and 10 straight teeth/m1) - (without sliding bearings 035407) - substitutable without modification

*SERAP, PRO-INOX*



**035120 1ST GEAR WHEEL NEW N TYPE - SIREM COMPATIBLE**

1st double wheel 1000 DC - Sirem compatible for N type agitator motor - Celoron - Nouvelle version 25 rpm (after 1993) - (without sliding bearings 035407) - substitutable without modification

*SERAP, PROMINOX*



**035121 1ST GEAR WHEEL NEW N TYPE - SIREM COMPATIBLE**

1st double wheel - Sirem compatible for N type agitator motor - Celoron - version after 1993 - 32 rpm - (without sliding bearings 035407) - (42 helical teeth/m0.9 and 13 helical teeth/m1) - substitutable without modification

*SERAP*



# C020-21 - 2ND GEAR WHEELS - SIREM COMPATIBLE



## 035115-S 2ND GEAR WHEEL P TYPE SIREM COMPATIBLE

2nd double wheel for P type agitator motor 2859 C - for P - 23 rpm - after 1993



## 035201 2ND GEAR WHEEL F TYPE - SIREM COMPATIBLE

2nd double wheel 2100 B - Sirem compatible for F type agitator motor - Hostaform - 30 rpm - (without sliding bearings ref. 035401) - (49 straight teeth/m1 and 14 straight teeth/m1.5) - substitutable without modification



## 035203 2ND GEAR WHEEL F TYPE - SIREM COMPATIBLE

2nd double wheel 2100 K - Sirem compatible for F type agitator motor - Hostaform - 40 rpm - (without sliding bearings 035401) - (49 straight teeth/m1 and 17 straight teeth/m1.25) - substitutable without modification



## 035204 2ND GEAR WHEEL D & H TYPE - SIREM COMPATIBLE

2nd double wheel 1290 T - Sirem compatible for D and H type agitator motor - steel - 21/30 rpm - (without sliding bearings 035402 + 035403) - (52 straight teeth/m1 and 9 straight teeth/m1.25) - Sirem compatible - substitutable without modification



## 035205 2ND GEAR WHEEL D & H TYPE - SIREM COMPATIBLE

2nd double wheel 1291 A - Sirem compatible for D and H type agitator motor - steel - 25 rpm - (without sliding bearings 035402 + 035403) - (52 straight teeth/m1 and 8 straight teeth/m1.25) - substitutable without modification



## 035206-S 2ND GEAR WHEEL L & M TYPE SIREM COMPATIBLE

2nd double wheel for L and M type agitator motor - 30 rpm - RE-3-1009BC - Type L and M after 1996



## 035210-S 2ND GEAR WHEEL F TYPE STEEL SIREM COMPATIBLE

2nd double wheel for F type agitator motor 2100 BT) - 30 rpm - steel - (without sliding bearings ref. 035401) - (49d / m1 and 14D / m1,5 straight)



## 035213 2ND GEAR WHEEL NEW N TYPE - SIREM COMPATIBLE

2nd double wheel 1000 N - Sirem compatible for N type agitator motor - steel 21 or 23 rpm - (without sliding bearings Ø 10 - 16x18 - 035404) - (49 helical teeth/m1 and 9 straight teeth/m2) - substitutable without modification



### **035217 2ND GEAR WHEEL NEW N TYPE - SIREM COMPATIBLE**

2nd double wheel 1000 R - Sirem compatible for N type agitator motor - steel - version after 1993 - 32 rpm. (without sliding bearings 035404) - (45 helical teeth/m1 and 9 straight teeth/m2) - substitutable without modification



### **035218-S 2ND GEAR WHEEL NEW N TYPE - 25RPM SIREM COMPATIBLE**

2nd double wheel for N type agitator motor - steel - version after 1993 - 25 rpm (without sliding bearings)

## C020-24 - SLIDING BEARINGS - SIREM COMPATIBLE



### 035399-S WASHER 2103 10,2X16-0,5 SIREM COMPATIBLE

Washer 10,2-16x0,5 - flat - for 2nd double wheel for N type agitator motor with sliding bearing 035404



### 035401 SLIDING BEARING 1ST W F/D/H - SIREM COMPATIBLE

Sliding bearings - bronze 6-10x6 - Sirem compatible for 1st gear wheel F/D/H type and 2nd gear wheel F type. Sold in bags of 10 units. - substitutable without modification



### 035402 SLIDING BEARING 2ND W D/H - SIREM COMPATIBLE

Sliding bearing - bronze 8-12-16x4+2 - Sirem compatible. Only one sliding bearing of this model for the 2nd gear wheel D & H type 48/30 rpm. The second must be the 035403. Sold in bags of 10 units. - substitutable without modification



### 035403-S SLIDING BEARING 2ND W D/H SIREM COMPATIBLE

Sliding bearing - bronze 8-12-16x9+2. Only one slid bearing of this model for the 2nd gear wheel D & H type 48/30 rpm. The second must be the 035402. Sold in bags of 10 units.



### 035404-S SLIDING BEARING 2ND W N NEW SIREM COMPATIBLE

Sliding bearing - bronze 10x16-8 for 2nd gear wheel of NEW N type 23/32 rpm and L & M type. For mounting with washers  $\varnothing$  8.2/14 X 0.5 MM 035410. Sold in bags of 10 units.



### 035405 SLIDING BEARING SHAFT F TYPE - SIREM COMPATIBLE

Sliding bearings bronze 8-12x10 - Sirem compatible for output shaft type F Packaging: Sold in bags of 10 units - substitutable without modification



### 035407 SLIDING BEARINGS 1ST W N NEW - SIREM COMPATIBLE

Sliding bearings - bronze 8x12-8 - Sirem compatible for 1st gear wheel L/N/M type. For mounting with washers  $\varnothing$  8.2/14 X 0.5 MM 035410. Sold in bags of 10 units. - substitutable without modification



### 035410-S WASHER $\varnothing$ 8.2/14 X 0.5 MM SIREM COMPATIBLE

Washer  $\varnothing$  8.2/14 x 0.5 mm. For mounting on N type agitator motors with slide bearing 035407 (1 washer for each bearing).

## C020-25 - OUTPUT WHEELS - SIREM COMPATIBLE



### 035301-S OUTPUT WHEEL F & S TYPE SIREM COMPATIBLE

Output wheel - steel - for F or S type agitator motors 21/30 rpm - (40 straight teeth/m1,25)



### 035302-S OUTPUT WHEEL F TYPE SIREM COMPATIBLE

Output wheel - steel - for F type agitator motor - 48 rpm - (59 straight teeth/m1)



### 035304 OUTPUT WHEEL D & H TYPE - SIREM COMPATIBLE

Output wheel 1290 D2 - Sirem compatible for D and H type agitator motors - 21/25 rpm (Alfa) + 30/39/48 rpm (27 straight teeth/m1.25) - substitutable without modification



### 035305 OUTPUT WHEEL N TYPE - SIREM COMPATIBLE

Output wheel 1000 P2 - Sirem compatible - for N type agitator motor - 21 / 25 / 30 / 48 rpm - after 1993 - substitutable without modification



### 035306-S OUTPUT WHEEL D TYPE SIREM COMPATIBLE

Output wheel 2064 E2 - for D type agitator motor - 30 rpm with key



### 035408-S REDUCTION OUTPUT WHEEL L & M TYPE SIREM COMPATIBLE

Output wheel 1000 W2 - for L and M type agitator motor - 40 teeth ext.Ø 62mm, inner Ø 17mm, thickness 13mm.



## C020-26 - SHAFTS - SIREM COMPATIBLE



### 035303-S OUTPUT SHAFT/WHEEL NEW N TYPE SIREM COMPATIBLE

Output shaft 1100 - 1 + wheel 1000 - P2 for N type agitator after 1993 - 23 rpm



### 035307-S OUTPUT SHAFT N NEW SIREM COMPATIBLE

Output shaft 1011-1 - for N type agitator motor - Ø 19 / L 55 - hole Ø 6 at 32 mm from the end - after 1993



### 035308-S OUTPUT SHAFT TYPE F ETSCHIED SIREM COMPATIBLE

Output shaft 2079-1 - for F type agitator motor - Ø 14 / L 33 - 25mm thereof threaded, M14



### 035409-S OUTPUT SHAFT D SIREM COMPATIBLE

Output shaft 1217-1 - for D type agitator - with output wheel 1290 D - Ø 16 / L 92 - 2 blind holes Ø 5 at 29 and 50mm from the end



### 035411-S OUTPUT SHAFT DBS SIREM COMPATIBLE

Threaded output shaft 1017-1 for flange DBS - tank Fontserre, end of series



### 035419 OUTPUT SHAFT D - SIREM COMPATIBLE

Output shaft - shaft 1217-1 - Sirem compatible for type D - Ø 16 / L 92 - 2 non through bores Ø 5 at 29 and 50 from the end - 05.0600.0004 - Without output wheel or circlips - substitutable without modification



### 036102-S OUTPUT SHAFT M MUELLER SIREM COMPATIBLE

Output shaft 1071-2 - for M type agitator motor - Ø 19 / L 35 - hole Ø 4 at 17mm from the end + bearing



### 036103-S OUTPUT SHAFT D TYPE PACKO SIREM COMPATIBLE

Output shaft 1294-8 - for D type agitator motor - Ø 14 / L 25 - hole Ø 5.2 at 14mm from the end - Packo



### 036105 OUTPUT SHAFT 1054-2 M TYPE - SIREM COMPATIBLE

Output shaft 1054-2 - for M type agitator motor - Ø 17 / L 85 - 2 holes Ø 5 at 15 and 45 mm from the end

SERAP



### 036106-S OUTPUT SHAFT D TYPE ALFA SIREM COMPATIBLE

Output shaft 2127-1 - for D type agitator motor - Ø 15 / L 45 - hole Ø 3.5 at 25mm from the end



### 036107-S OUTPUT SHAFT F TYPE SIREM COMPATIBLE

Output shaft 2233-1 - for F type agitator motor - Ø 14 / L 25 - hole Ø 3.5 to 14mm from the end - + circlip Ø 15 mounted



### 036108-S OUTPUT SHAFT/WHEEL M TYPE NEW SIREM COMPATIBLE

Output shaft 1069-2 - for M type agitator motor + output wheel 1000230 - 30 rpm - Ø 14 / L 45 - 35mm with M14 thread - after 1995



### 036109-S OUTPUT SHAFT F TYPE SIREM COMPATIBLE

Output shaft 1218-1 - for F type agitator motor - Ø 15 / L 133 - 2 holes Ø 5 blind holes to 34 and 95mm from the end - replaces former shaft 2033-1 (05 2033 0001)



### 036110-S OUTPUT SHAFT / WHEEL M TYPE NEW SIREM COMPATIBLE

Output shaft 1050-2 - for M type agitator motor + output wheel 1000 W2 - 30 rpm - Ø 15 / L 45 - hole Ø 3.5 at 25mm from the end - after 1995



### 036111-S OUTPUT SHAFT / WHEEL F TYPE NEW SIREM COMPATIBLE

Output shaft 2233-1 - for F type agitator motor + output wheel 2100 G2 - 30 rpm - Ø 14 / L 25 - hole Ø 3.5 at 14mm from the end



### 036112-S OUTPUT SHAFT L TYPE JAPY SIREM COMPATIBLE

Output shaft 1051-2 - for L type agitator motor + output wheel 1000 W2 - Ø 16 / L 129 - 2 holes Ø 5 blind holes at 29 and 95mm from the end

JAPY

### **037001-S BEARING COVER F TYPE SIREM COMPATIBLE**



Bearing cover for F type agitator motor with seal

### **037002-S BEARING COVER F D/H/L/M TYPE SIREM COMPATIBLE**



Bearing cover for D, H, L and M type agitator motors

## C020-40 - FLANGES - SIREM COMPATIBLE



### 035422-S NP BEARING COVER SIREM COMPATIBLE

NP bearing cover subassembly with 1 shaft seal Ø 33

*ALFA LAVAL, PROMINOX*



### 035423 NP HOUSING BOTTOM - SIREM COMPATIBLE

Wash box bottom Subassembly with 1 shaft seal Ø 33 (035420) - Sirem compatible - substitutable without modification

*PROMINOX, ALFA LAVAL*



### 035424-S SPACER FOR NP5B AGITATOR SIREM COMPATIBLE

Spacer for NP5B agitator

*ALFA LAVAL, PROMINOX*



### 035426-S NP FLANGE 2448 + SEALS SPI 035420 SIREM COMPATIBLE

NP flange 2448 + seals Ø 33mm with 1 seal FB-2448-U002

*ALFA LAVAL, PROMINOX*



### 035427-S NP FLANGE 2449 + 2 SEALS SIREM COMPATIBLE

NP flange, new model + 2 shaft seals 035420 and 035421

*ALFA LAVAL, PROMINOX*



### 035429-S S/A FLANGE 2456 PACKO SIREM COMPATIBLE

Flange subassembly 2456 1002 with 1 shaft seal SPI Ø 35 (035421 red)

*PACKO*



### 035430-S L5 FLANGE (LB5) SIREM COMPATIBLE

L5 mounting flange for adaptation LB 5 (painted)





**035435 MOUNTING SET FOR PACKO AGITATORS WITH SS PLATE - SIREM COMPATIBLE**

Mounting set for Packo agitator motors with stainless steel plate - Sirem compatible - substitutable without modification

*PACKO*



**035436 MOUNTING SET FOR PACKO AGITATORS WITHOUT SS PLATE - SIREM COMPATIBLE**

Mounting set for Packo agitator motors without Stainless Steel plate - Sirem compatible - substitutable without modification

*PACKO*

## C020-50 - SEALS AND GREASE - SIREM COMPATIBLE



### 035421 NP SHAFT SEAL 35X45-7 - SIREM COMPATIBLE

Shaft seal 35x45-7DL - NP - red NBR - Sirem compatible - silicone - cover and spring stainless steel - substitutable without modification



### 035428 SHAFT SEAL D33-36 - 35S - PACKO (11267) - SIREM COMPATIBLE

Shaft seal D.33-36 35S for Packo N type wash box

*PACKO*



### 035432 SHAFT SEAL D27-29 - 28S - PACKO (21023) - SIREM COMPATIBLE

Shaft seal VS-28 - D27-29 - Sirem compatible for Packo N type and D2B type wash box - substitutable without modification

*PACKO*



### 035433 O-RING D55X4 PACKO - SIREM COMPATIBLE

O-Ring, Ø 55mm x 4mm - Sirem compatible for Packo N type wash box - substitutable without modification

*PACKO*



### 037009 GREASE FOR AGITATOR MOTOR

Grease filling for agitator motor 1kg

## C020-60 - NP WASH BOXES - SIREM COMPATIBLE



### 035425 NP WASH BOX SET - SIREM COMPATIBLE

Wash box set for NP5B - Sirem compatible - substitutable without modification

*ALFA LAVAL, PROMINOX*



### 035440 O-RING NP WASH BOX SET - SIREM COMPATIBLE

O-Ring 60x4 nitrile for wash box NP - Sirem compatible - substitutable without modification

*ALFA LAVAL, PROMINOX*



### 035442 COVER FOR NP WASH BOX - SIREM COMPATIBLE

Cover for NP wash box - Sirem compatible - substitutable without modification

*ALFA LAVAL, PROMINOX*



### 035447-S DEFLECTOR RING FOR N TYPE - SIREM COMPATIBLE

Replacement for Sirem model NP type deflector - Essential spare part for the correct replacement of the NP wash box

*ALFA LAVAL, PROMINOX*

## **C020-70 - FAN COVERS & BLADES - SIREM COMPATIBLE**



### **037003-S FAN WHEEL FOR AGITATOR MOTOR - SIREM COMPATIBLE**

Fan wheel for agitator motors manufactured after 1990.



### **037004-S FAN COVER FOR AGITATOR MOTOR - SIREM COMPATIBLE**

Fan cover for agitator motor, painted



### **037405-S FAN FOR AGITATOR MOTOR METAL - SIREM COMPATIBLE**

Fan for agitator motor, metal - before 1990



### **037406-S FAN COVER FOR AGITATOR MOTOR 90 F IN ABS - SIREM COMPATIBLE**

Fan cover for agitator motor, ABS, painted



## C021 - BEARINGS



**GALACTEA offers a wide range of bearings which can be used as spares parts for all brands of milk coolers**

031001 BALL BEARING 608 2RS

031004 BALL BEARING 6201-Z

031006 BALL BEARING 6004-2RS

031010 BALL BEARING 6007-2ZR

031012 BALL BEARING 6008-2Z

031020 BALL BEARING BK 1210

031021 BALL BEARING 6000 RS

031022 BALL BEARING 6204

035431 RING FOR BEARING 0608

037011 BEARING 6203 ZZ C3

## C030 - AGITATION - SPARES



**Agitators for the ALFA-PROMINOX milk cooler range.  
Length on request.**

**For further information please contact us or visit our  
website [www.galactea.eu](http://www.galactea.eu)**

**Other models or brands on request, manufactured by  
NEVINOX**

050399 AGITATOR BLADE FOR TANK RFT 520 L
050401 AGITATOR BLADE FOR TANK RFT 650 L
050402 AGITATOR BLADE FOR TANK RFT 800 L
050405 AGITATOR BLADE FOR TANK RFT 1030 L
050411 AGITATOR SCH 900-1200 L
050412 AGITATOR SCH 1600-2000 L
050418 AGITATOR FE 3550 TO 6000 L (SCREW FIXING)
050419 AGITATOR FE 7100 TO 8100 L (SCREW FIXING)
050420 AGITATOR FEC 10000 TO 16000 L (SCREW FIXING)
050423 AGITATOR FE 3050 TO 6000 L
050426 AGITATOR FSEC 10000 TO 30000 L
050430 AGITATOR CH 1100 TO 1650 L
050431 AGITATOR CH 2000 TO 2600 L
050432 AGITATOR CH 3200 TO 4000 L
050433 AGITATOR HCA 1500 TO 1800 L
050434 AGITATOR HCA 2100 TO 2400 L
050435 AGITATOR HCA 3000 TO 3500 L
050436 AGITATOR HCA 3050/3550/4000/5000 AND 6000 L
050437 AGITATOR HCA 7100/8100 L
050438 AGITATOR HCA 8000/10000/12500/14000 AND 16000 L
050439 AGITATOR HCA 10000 TO 16000 L LHM (WITHOUT DIFFUSERS)

## C040-50 - BARACUDA AGITATOR MOTORS V2



### 039501 BARACUDA SINGLE PHASE 230V 25-30RPM 50-60Hz

\* Load speed: 25RPM at 50Hz, 30RPM at 60Hz - Power supply: Single phase 230V - 50/60Hz, with external protection, wash box

\* Replacement for model:  
- 030501 R1C245NP7B - 30RPM  
- 030502 R1C245NP7B - 23RPM

**PACKO**



### 039503 BARACUDA SINGLE PHASE 230V/THREE PHASE 400V 25-30RPM 50-60Hz

\* Load speed: 25RPM at 50Hz, 30RPM at 60Hz - Power supply: Single phase 230V or Three phase 230/400V - 50/60Hz, with external protection, wash box  
\* Threaded hollow shaft

\* Replacement for model:  
- 030503 R3245N2B - 21RPM  
- 030505 R1C245N2B - 21RPM  
- 030512 R1C245N2B - 30RPM

**PACKO**



### 039504 BARACUDA SINGLE PHASE 230V 25-30RPM 50-60Hz

\* Load speed: 25RPM at 50Hz, 30RPM at 60Hz - Power supply: Single phase 230V-50/60Hz, with external protection  
\* Hollow shaft

\* Replacement for model :  
- 030504 R1C245NSB - 30RPM

**MUELLER**



### 039507 BARACUDA SINGLE PHASE 230V/THREE PHASE 400V 25-30RPM 50-60Hz

\* Load speed: 25RPM at 50Hz, 30RPM at 60Hz - Power supply: Single phase 230V or Three phase 400V - 50/60Hz, with external protection, wash box  
\* Threaded hollow shaft

\* Replacement for model:  
- 030501 R1C245NP7B - 30RPM  
- 030502 R1C245NP7B - 23RPM  
- 030507 R1C245N7B - 30RPM  
- 030510 R1C245N7B - 21RPM  
- 030511 R3245N7B - 21RPM  
- 030521 R3245NP7B - 30RPM  
- 030522 R3245NP7B - 23RPM

**PACKO**



### 039508 BARACUDA SINGLE PHASE 230V 25-30RPM 50-60Hz

\* Load speed: 25RPM at 50Hz, 30RPM at 60Hz - Power supply: Single phase 230V - 50/60Hz, with external protection, wash box  
\* Hollow shaft, 2 drive pins

\* Replacement for model:  
- 030508 R1C245NP5B - 23RPM

**DELAVAL, PROMINOX, ALFA LAVAL**





**039509 BARACUDA SINGLE PHASE 230V/THREE PHASE 400V 25-30RPM 50-60Hz**

- \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz - Power supply: Single phase 230V or Three phase 400V - 50/60Hz, with external protection, wash box
- \* Hollow shaft, 2 drive pins

- \* Replacement for model:  
- 030509 R3245NP5B - 23RPM

*DELAVAL, PROMINOX, ALFA LAVAL*



**039513 BARACUDA SINGLE PHASE 230V 25-30RPM 50-60Hz**

- \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz - Power supply: Single phase 230V-50/60Hz, with external protection
- \* Threaded shaft

- \* Replacement for model:  
- 030513 R1C245NSBR - 25RPM

*ROKA*



**039514 BARACUDA SINGLE PHASE 230V 25-30RPM 50-60Hz**

- \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz - Power supply: Single phase 230V-50/60Hz, with external protection
- \* Solid threaded shaft

- \* Replacement for model:  
- 030514 R1C245N2BR - 25RPM

*JAPY*



**039515 BARACUDA SINGLE PHASE 230V 25-30RPM 50-60Hz**

- \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz - Power supply: Single phase 230V-50/60Hz, with external protection

- \* Replacement for model:  
- 030515 R1C245NSBR - 25RPM

*ROKA, FABDEC*



**039516 BARACUDA SINGLE PHASE 230V 25-30RPM 50-60Hz**

- \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz - Power supply: Single phase 230V-50/60Hz, with external protection

- \* Replacement for model:  
- 030516 R1C245N2BR - 25RPM  
- 030518 R1C245N2B - 23RPM

*PRO-INOX, JAPY*



**039519 BARACUDA SINGLE PHASE 230V/THREE PHASE 400V 25-30RPM 50-60Hz**

- \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz - Power supply: Single phase 230V or Three phase 400V - 50/60Hz, with external protection

- \* Replacement for model:  
- 030519 R3245N2BR - 32RPM

*JAPY*





### **039523 BARACUDA SINGLE PHASE 230V 25-30RPM 50-60Hz**

\* Load speed: 25RPM at 50Hz, 30RPM at 60Hz - Power supply: Single phase 230V-50/60Hz, with external protection

\* Replacement for model:

- 030523 R1C245N5B - 23RPM
- 030524 R1C245N5B - 32RPM
- 030526 R1C245N5B - 28RPM 60HZ
- 030527 R1C245N5BS - 25RPM - 220V-P-60HZ

**SERAP, PRO-INOX**

## C045-10 - NEMO AGITATOR MOTORS



### 039101 NEMO SINGLE PHASE 230V 25-30RPM

NEMO agitator motor single phase 25-30RPM, replaces all existing models in after-sales service by using different shaft models and corresponding mounting flanges  
Option: Inclination controller ref. 039901



### 039103 NEMO SINGLE PHASE 230V/THREE PHASE 400V 25-30RPM

NEMO agitator motor single/three phase 25-30RPM, replaces all existing models in after-sales service by using different shaft models and corresponding mounting flanges  
Option: Inclination controller ref. 039901



### 039150 NEMO SINGLE PHASE 230V/THREE PHASE 400V 44-52RPM

NEMO agitator motor single/three phase 44-52RPM, replaces all existing models in after-sales service by using different shaft models and corresponding mounting flanges  
Option: Inclination controller ref. 039901

## C045-20 - NEMO SHAFTS

### 039001 NEMO SHAFT N° D101



Shaft N° D101 for NEMO agitator motor Ref: 039153, 039106, 039108  
- Composed of: shaft, washer and screw  
- Mounting with thread lock

*PRO-INOX, JAPY*

### 039003 NEMO SHAFT N° F203



Shaft N° 003 for NEMO agitator motor Ref: 039190, 039191, 039204, 039206, 039214, 039217, 039220, 039223, 039225, 039226, 039227, 039234, 039235  
- Composed of: shaft, washer and screw  
- Mounting with thread lock

*FIG - FRIGOMILK, MUELLER, JAPY, PRO-INOX, PACKO*

### 039004 NEMO SHAFT N° M404



Shaft N° M404 for NEMO agitator motor Ref: 039403, 039404, 039407, 039411, 039413  
- Composed of: shaft, washer and screw  
- Mounting with thread lock

*SERAP*

### 039005 NEMO SHAFT N° M405



Shaft N° M405 for NEMO agitator motor Ref: 039421, 039431  
- Composed of: shaft, washer and screw  
- Mounting with thread lock

*SERAP*

### 039006 NEMO SHAFT N° L606



Shaft N° L606 for NEMO agitator motor Ref: 039601, 039604, 039608, 039609  
- Composed of: shaft, washer and screw  
- Mounting with thread lock

*PROMINOX, ALFA LAVAL*

### 039007 NEMO SHAFT N° L607



Shaft N° L607 for NEMO agitator motor Ref: 039602  
- Composed of: shaft, washer and screw  
- Mounting with thread lock

*JAPY*

### 039008 NEMO SAHFT N° M408



Shaft N° M408 for NEMO agitator motor Ref: 039401  
- Composed of: shaft, washer and screw  
- Mounting with thread lock

*ETSCHEID*



### 039009 NEMO SHAFT N° M409

Shaft N° M409 for NEMO agitator motor Ref: 039402  
- Composed of: shaft, washer and screw  
- Mounting with thread lock

**MUELLER, SERAP**



### 039010 NEMO SHAFT N° M410

Shaft N° M410 for NEMO agitator motor Ref: 039412  
- Composed of: shaft, washer and screw  
- Mounting with thread lock

**WEDHOLMS**



### 039011 NEMO SHAFT N° F211

Shaft N° F211 for NEMO agitator motor Ref: 039201, 039216  
- Composed of: shaft, washer and screw  
- Mounting with thread lock



### 039012 NEMO SHAFT N° F212

Shaft N° F212 for NEMO agitator motor Ref: 039209, 039211, 039221  
- Composed of: shaft, washer and screw  
- Mounting with thread lock

**JAPY**



### 039013 NEMO SHAFT N° D113

Shaft N° D113 for NEMO agitator motor Ref: 039105, 039107, 039111, 039113, 039122  
- Composed of: shaft, washer and screw  
- Mounting with thread lock

**FABDEC, FIC - FRIGOMILK, PACKO**



### 039014 NEMO SHAFT N° H314

Shaft N° H314 for NEMO agitator motor Ref: 039304  
- Composed of: shaft, washer and screw  
- Mounting with thread lock

**ROKA**



### 039015 NEMO SHAFT N° H315

Shaft N° H315 for NEMO agitator motor Ref: 039301, 039302, 039306, 039308  
- Composed of: shaft, washer and screw  
- Mounting with thread lock

**PACKO**





### 039016 NEMO SHAFT N° F216

Shaft N° F216 for NEMO agitator motor Ref: 039193, 039203  
- Composed of: shaft, washer and screw  
- Mounting with thread lock

*ETSCEID*



### 039018 NEMO SHAFT N° D118

Shaft n° 018 for NEMO agitator motor Ref: 039151, 039152, 039114, 039117, 039119  
- Composed of: shaft, washer and screw  
- Mounting with thread lock

*PROMINOX, ALFA LAVAL*



### 039020 NEMO SHAFT N° F220

Shaft N° F220 for NEMO agitator motor Ref: 039205, 039208  
- Composed of: shaft, washer and screw  
- Mounting with thread lock

*ROKA*



### 039021 NEMO SHAFT N° F221

Shaft N° F221 for NEMO agitator motor Ref: 039232, 039357, 039360  
- Composed of: shaft, washer and screw  
- Mounting with thread lock

*PROMINOX, ALFA LAVAL*



### 039022 NEMO SHAFT N° F222

Shaft N° F222 for NEMO agitator motor Ref: 039202  
- Composed of: shaft, washer and screw  
- Mounting with thread lock



### 039901 NEMO INCLINATION CONTROLLER

Inclination controller, allows the agitator motor to be stopped when the tank cover is opened.



### 039991 POWER TRANSFORMER FOR NEMO AGITATOR MOTOR

Nemo power transformer. Tight. With box and 2x3m 3G1.5 cable.

## C045-30 - NEMO MOUNTING FLANGES



*ETSCHEID*



### **039051a MOUNTING FLANGE FX-a1 FOR ALFA RFT 330-600L**

Mounting flange FX-A for D1 mounting of NEMO agitator motor Ref: 039151, 039152, 039114, 039117



### **039055 MOUNTING FLANGE FX-E FOR L5**

Mounting flange FX-E for L5 mounting of NEMO agitator motor Ref: 039601, 039602, 039604, 039608, 039609



### **039056-NEW MOUNTING FLANGE FX-F FOR F6 / M6**

Mounting flange FX-F for F6 / M6 mounting of NEMO agitator motor Ref: 039193, 039202, 039203, 039401, 039421, 039431



### **039819 THICKNESS MOUNTING FLANGE**

Thickness mounting flange for NEMO agitator motor

## C045-40 - NEMO AGITATOR KITS



### 039105 NEMO D2 1~/3~ 230-400V 25-30RPM

NEMO D type agitator motor  
 \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz  
 \* Power supply: Single phase 230V - 50-60Hz or three phase 400V - 50-60Hz  
 \* Replacement for model:  
 - 030105 R3225D2B - 21RPM  
 Including: Motor 039103, shaft 039013



### 039106 NEMO D2 1~ 230V 25-30RPM

NEMO D type agitator motor  
 \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz  
 \* Power supply: Single phase 230V - 50-60Hz  
 \* Replacement for model:  
 - 030106 R1C225D2BC - 25-30RPM (EX R225D2B)  
 Including: Motor 039101, shaft 039001



### 039107 NEMO D2 1~ 230V 25-30RPM

NEMO D type agitator motor  
 \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz  
 \* Power supply: Single phase 230V - 50-60Hz  
 \* Replacement for model:  
 - 030107 R1C225D2BC - 30-36RPM  
 Including: Motor 039101, shaft 039013



### 039108 NEMO D2 1~/3~ 230-400V 25-30RPM TILT SWITCH

NEMO D type agitator motor  
 \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz  
 \* Power supply: Single phase 230V - 50-60Hz or three phase 400V - 50-60Hz  
 \* Replacement for model:  
 - 030108 R1C225D2BC - 21-25RPM  
 Including: Motor 039103, shaft 039001, flange 039819, tilt switch 039901



### 039111 NEMO D2 1~/3~ 230-400V 25-30RPM

NEMO D type agitator motor  
 \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz  
 \* Power supply: Single phase 230V - 50-60Hz or three phase 400V - 50-60Hz  
 \* Replacement for model:  
 - 030111 R3225D2B - 30RPM  
 Including: Motor 039103, shaft 039013



### 039113 NEMO D2 1~/3~ 230-400V 50-60RPM

NEMO D type agitator motor  
 \* Load speed: 50RPM at 50Hz  
 \* Power supply: Single phase 230V - 50-60Hz or three phase 400V - 50-60Hz  
 \* Replacement for model:  
 - 030113 R3225D2B - 48RPM  
 Including: Motor 039150, shaft 039013



### 039114 NEMO D1 1~/3~ 230-400V 50-60RPM

NEMO D type agitator motor  
 \* Load speed: 50RPM at 50Hz  
 \* Power supply: Single phase 230V - 50-60Hz or three phase 400V - 50-60Hz  
 \* Replacement for model:  
 - 030114 R3225D1B - 48RPM  
 Including: Motor 039150, shaft 039018, flange 039051



### 039117 NEMO D1 1~/3~ 230-400V 25-30RPM TILT SWITCH

NEMO D type agitator motor  
 \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz  
 \* Power supply: Single phase 230V - 50-60Hz  
 \* Replacement for model:  
 - 030117 R1C225D1BC - 21-25RPM  
 Including: Motor 039103, shaft 039018, flange 039051, tilt switch 039901



### 039119 NEMO D2 1~ 230V 25-30RPM

NEMO D type agitator motor  
 \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz  
 \* Power supply: Single phase 230V - 50-60Hz  
 \* Replacement for model:  
 - 030119 R1C225D2BC - 30-36RPM  
 Including: Motor 039101, shaft 039018



### 039122 NEMO D2 1~ 230V 25-30RPM

NEMO D type agitator motor  
 \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz  
 \* Power supply: Single phase 230V - 50-60Hz  
 \* Replacement for model:  
 - 030122 R1C225D2BC - 21-25RPM  
 Including: Motor 039101, shaft 039013



### 039151 NEMO D1 1~/3~ 230-400V 25-30RPM TILT SWITCH

NEMO D type agitator motor  
 \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz  
 \* Power supply: Single phase 230V - 50-60Hz  
 \* Remplacement pour modèle :  
 - 030101 R1C225D1BC - 32-38RPM  
 Including: Motor 039103, shaft 039018, flange 039051, tilt switch 039901



### 039152 NEMO D1 1~/3~ 230-400V 25-30RPM

NEMO D type agitator motor  
 \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz  
 \* Power supply: Single phase 230V - 50-60Hz or three phase 400V - 50-60Hz  
 \* Replacement for model:  
 - 030102 R3225D1B - 32RPM  
 Including: Motor 039103, shaft 039018, flange 039051



### 039153 NEMO D2 1~ 230V 25-30RPM

NEMO D type agitator motor  
 \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz  
 \* Power supply: Single phase 230V - 50-60Hz  
 \* Replacement for model:  
 - 030103 R1C225D2BC - 25-30RPM - PTH  
 Including: Motor 039101, shaft 039001





### 039190 NEMO F2 1~/3~ 230-400V 50-60RPM

NEMO F type agitator motor  
 \* Load speed: 50RPM at 50Hz  
 \* Power supply: Single phase 230V - 50-60Hz  
 \* Replacement for model:  
 - 030190 R1C425F2BC - 62-74RPM  
 Including: Motor 039150, shaft 039003



### 039191 NEMO F2 1~/3~ 230-400V 50-60RPM

NEMO F type agitator motor  
 \* Load speed: 50RPM at 50Hz  
 \* Power supply: Single phase 230V - 50-60Hz  
 \* Replacement for model:  
 - 030191 R1C225F2BC - 48-58TR/MN  
 Including: Motor 039150, shaft 039003



### 039193 NEMO F6 1~ 230V 25-30RPM

NEMO F type agitator motor  
 \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz  
 \* Power supply: Single phase 230V - 50-60Hz  
 \* Replacement for model:  
 - 030193 R1C225F6BC - 30-36RPM  
 Including: Motor 039101, shaft 039016, flange 039056



### 039201 NEMO F2 1~/3~ 230-400V 50-60RPM

NEMO F type agitator motor  
 \* Load speed: 50RPM at 50Hz  
 \* Power supply: Single phase 230V - 50-60Hz  
 \* Replacement for model:  
 - 030201 R1C225F2BC - 48-58RPM  
 Including: Motor 039150, shaft 039011

### 039202 NEMO F6 1~/3~ 230-400V 25-30RPM TILT SWITCH

NEMO F type agitator motor  
 \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz  
 \* Power supply: Single phase 230V - 50-60Hz  
 \* Remplacement pour modèle :  
 - 030202 R1C225F6BC - 21-25RPM (EX R245S6B)  
 Including: Motor 039103, shaft 039022, flange 039056, tilt switch 039901



### 039203 NEMO F6 1~ 230V 25-30RPM

NEMO F type agitator motor  
 \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz  
 \* Power supply: Single phase 230V - 50-60Hz  
 \* Replacement for model:  
 - 030203 R1C225F6BC - 21-25RPM  
 Including: Motor 039101, shaft 039016, flange 039056



### 039204 NEMO F2 1~ 230V 25-30RPM

NEMO F type agitator motor  
 \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz  
 \* Power supply: Single phase 230V - 50-60Hz  
 \* Replacement for model:  
 - 030204 R1C225F2BC - 30-36RPM  
 Including: Motor 039101, shaft 039003



### 039205 NEMO F2 1~ 230V 25-30RPM

NEMO F type agitator motor  
 \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz  
 \* Power supply: Single phase 230V - 50-60Hz  
 \* Replacement for model:  
 - 030205 R1C225F2BC - 30-36RPM  
 Including: Motor 039101, shaft 039020



### 039206 NEMO F4 1~/3~ 230-400V 50-60RPM

NEMO F type agitator motor  
 \* Load speed: 50RPM at 50Hz  
 \* Power supply: Single phase 230V - 50-60Hz  
 \* Replacement for model:  
 - 030206 R1C225F4BC - 40-48RPM  
 Including: Motor 039150, shaft 039003



### 039208 NEMO F2 1~/3~ 230-400V 50-60RPM

NEMO F type agitator motor  
 \* Load speed: 50RPM at 50Hz  
 \* Power supply: Single phase 230V - 50-60Hz  
 \* Replacement for model:  
 - 030208 R1C225F2BC - 40-48RPM  
 Including: Motor 039150, shaft 039020



### 039209 NEMO F2 1~/3~ 230-400V 25-30RPM TILT SWITCH

NEMO F type agitator motor  
 \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz  
 \* Power supply: Single phase 230V - 50-60Hz or three phase 400V - 50-60Hz  
 \* Replacement for model:  
 - 030209 R1C225F2BC - 30-36RPM  
 Including: Motor 039103, shaft 039012, tilt switch 039901



### 039211 NEMO F2 1~ 230V 25-30RPM

NEMO F type agitator motor  
 \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz  
 \* Power supply: Single phase 230V - 50-60Hz  
 \* Replacement for model:  
 - 030211 R1C225F2BC - 21-25RPM  
 Including: Motor 039101, shaft 039012



### 039214 NEMO F2 1~/3~ 230-400V 25-30RPM TILT SWITCH

NEMO F type agitator motor  
 \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz  
 \* Power supply: Single phase 230V - 50-60Hz or three phase 400V - 50-60Hz  
 \* Replacement for model:  
 - 030214 R245F2B - 32RPM  
 Including: Motor 039103, shaft 039003, tilt switch 039901



### 039216 NEMO F2 1~ 230V 25-30RPM

NEMO F type agitator motor  
 \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz  
 \* Power supply: Single phase 230V - 50-60Hz  
 \* Replacement for model:  
 - 030216 R1C225F2BC - 21-25RPM  
 Including: Motor 039101, shaft 039011



### 039217 NEMO F2 1~ 230V 25-30RPM

NEMO F type agitator motor  
 \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz  
 \* Power supply: Single phase 230V - 50-60Hz  
 \* Replacement for model:  
 - 030217 R1C225F2BC - 30-36RPM  
 Including: Motor 039101, shaft 039003

### 039219 NEMO F2 1~ 230V 25-30RPM

NEMO F type agitator motor  
 \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz  
 \* Power supply: Single phase 230V - 50-60Hz  
 \* Replacement for model:  
 - 030219 R1C225F2B - 21RPM  
 Including: Motor 039101, shaft 039017



### 039220 NEMO F2 1~/3~ 230-400V 25-30RPM TILT SWITCH

NEMO F type agitator motor  
 \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz  
 \* Power supply: Single phase 230V - 50-60Hz or three phase 400V - 50-60Hz  
 \* Replacement for model:  
 - 030220 R1C225F2BC - 30-36RPM  
 Including: Motor 039103, shaft 039003, tilt switch 039901



### 039221 NEMO F2 1~/3~ 230-400V 50-60RPM

NEMO F type agitator motor  
 \* Load speed: 50RPM at 50Hz  
 \* Power supply: Single phase 230V - 50-60Hz  
 \* Replacement for model:  
 - 030221 R1C225F2BC - 40-48RPM (ex R225S2B)  
 Including: Motor 039150, shaft 039012



### 039223 NEMO F2 1~ 230V 25-30RPM

NEMO F type agitator motor  
 \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz  
 \* Power supply: Single phase 230V - 50-60Hz  
 \* Replacement for model:  
 - 030223 R1C225F2BC - 21-25RPM  
 Including: Motor 039101, shaft 039003





### 039225 NEMO F6 1~/3~ 230-400V 50-60RPM

NEMO F type agitator motor  
 \* Load speed: 50RPM at 50Hz  
 \* Power supply: Single phase 230V - 50-60Hz  
 \* Remplacement pour modèle :  
 - 030225 R1C225F6BC - 40-48RPM  
 Including: Motor 039150, shaft 039003, flange 039056



### 039226 NEMO F4 1~/3~ 230-400V 25-30RPM TILT SWITCH

NEMO F type agitator motor  
 \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz  
 \* Power supply: Single phase 230V - 50-60Hz  
 \* Replacement for model:  
 - 030226 R1C225F4BC - 30-36RPM  
 Including: Motor 039103, shaft 039003, tilt switch 039901



### 039227 NEMO F2 1~/3~ 230-400V 50-60RPM

NEMO F type agitator motor  
 \* Load speed: 50RPM at 50Hz  
 \* Power supply: Single phase 230V - 50-60Hz or three phase 400V - 50-60Hz  
 \* Replacement for model:  
 - 030227 R3225F2B - 48-58RPM  
 Including: Motor 039150, shaft 039003



### 039232 NEMO F2 1~ 230V 25-30RPM

NEMO F type agitator motor  
 \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz  
 \* Power supply: Single phase 230V - 50-60Hz  
 \* Replacement for model:  
 - 030232 R1C225F2BC - 30-36RPM  
 Including: Motor 039101, shaft 039021



### 039234 NEMO F2 1~ 230V 25-30RPM

NEMO F type agitator motor  
 \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz  
 \* Power supply: Single phase 230V - 50-60Hz  
 \* Replacement for model:  
 - 030234 R1C225F2BC - 30-36RPM IP55  
 Including: Motor 039101, shaft 039003



### 039235 NEMO F2 1~ 230V 25-30RPM

NEMO F type agitator motor  
 \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz  
 \* Power supply: Single phase 230V - 50-60Hz  
 \* Replacement for model:  
 - 030235 R1C225F2BC - 30-36RPM 110V  
 Including: Motor 039101, shaft 039003



### 039301 NEMO H2 1~ 230V 25-30RPM

NEMO H type agitator motor  
 \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz  
 \* Power supply: Single phase 230V - 50-60Hz  
 \* Replacement for model:  
 - 030301 R1C225H2BC - 30-36RPM  
 Including: Motor 039101, shaft 039015





**039302 NEMO H2 1~/3~ 230-400V 50-60RPM**

NEMO H type agitator motor  
 \* Load speed: 50RPM at 50Hz  
 \* Power supply: Single phase 230V - 50-60Hz  
 \* Replacement for model:  
 - 030302 R1C225H2BC - 39-47RPM  
 Including: Motor 039150, shaft 039015



**039304 NEMO H2 1~/3~ 230-400V 50-60RPM**

NEMO H type agitator motor  
 \* Load speed: 50RPM at 50Hz  
 \* Power supply: Single phase 230V - 50-60Hz  
 \* Replacement for model:  
 - 030304 R1C225H2BC - 39-48RPM  
 Including: Motor 039150, shaft 039014



**039306 NEMO H2 1~/3~ 230-400V 50-60RPM**

NEMO H type agitator motor  
 \* Load speed: 50RPM at 50Hz  
 \* Power supply: Single phase 230V - 50-60Hz  
 \* Replacement for model:  
 - 030306 R1C225H2B - 39-47RPM  
 Including: Motor 039150, shaft 039015



**039308 NEMO H2 1~ 230V 25-30RPM**

NEMO H type agitator motor  
 \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz  
 \* Power supply: Single phase 230V - 50-60Hz  
 \* Replacement for model:  
 - 030308 R1C225H2BC - 21-25RPM  
 Including: Motor 039101, shaft 039015



**039357 NEMO F4 1~ 230V 25-30RPM**

NEMO F type agitator motor  
 \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz  
 \* Power supply: Single phase 230V - 50-60Hz  
 \* Replacement for model:  
 - 030357 R1C225F4BC - 21-25RPM (Remplace 030207 R1C225F45BC)  
 Including: Motor 039101, shaft 039021



**039360 NEMO F4 1~/3~ 230-400V 25-30RPM TILT SWITCH**

NEMO F type agitator motor  
 \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz  
 \* Power supply: Single phase 230V - 50-60Hz or three phase 400V - 50-60Hz  
 \* Replacement for model:  
 - 030360 R1C225F4BC - 32-38RPM (REPL. 030210)  
 Including: Motor 039103, shaft 039021, tilt switch 039901



### 039401 NEMO M6 1~ 230V 25-30RPM

NEMO M type agitator motor  
 \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz  
 \* Power supply: Single phase 230V - 50-60Hz  
 \* Replacement for model:  
 - 030401 R1C225M6BC - 21-25RPM  
 Including: Motor 039101, shaft 039008, flange 039056



### 039402 NEMO M2 1~ 230V 25-30RPM

NEMO M type agitator motor  
 \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz  
 \* Power supply: Single phase 230V - 50-60Hz  
 \* Replacement for model:  
 - 030402 R1C225M2BC - 30-36RPM  
 Including: Motor 039101, shaft 039009, flange 039819



### 039403 NEMO M2 1~ 230V 25-30RPM

NEMO M type agitator motor  
 \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz  
 \* Power supply: Single phase 230V - 50-60Hz  
 \* Replacement for model:  
 - 030403 R1C245M2B - 32RPM  
 Including: Motor 039101, shaft 039004



### 039404 NEMO M4 1~ 230V 25-30RPM

NEMO M type agitator motor  
 \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz  
 \* Power supply: Single phase 230V - 50-60Hz  
 \* Replacement for model:  
 - 030404 R245M4B - 32RPM  
 Including: Motor 039101, shaft 039004



### 039407 NEMO M2 1~/3~ 230-400V 25-30RPM TILT SWITCH

NEMO M type agitator motor  
 \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz  
 \* Power supply: Single phase 230V - 50-60Hz or three phase 400V - 50-60Hz  
 \* Replacement for model:  
 - 030407 R1C245M2B - 32RPM  
 Including: Motor 039103, shaft 039004, tilt switch 039901



### 039411 NEMO M2 1~/3~ 230-400V 25-30RPM

NEMO M type agitator motor  
 \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz  
 \* Power supply: Single phase 230V - 50-60Hz or three phase 400V - 50-60Hz  
 \* Replacement for model:  
 - 030411 R3245M2BR - 32RPM  
 Including: Motor 039103, shaft 039004



### 039412 NEMO M2 1~ 230V 25-30RPM

NEMO M type agitator motor  
 \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz  
 \* Power supply: Single phase 230V - 50-60Hz  
 \* Replacement for model:  
 - 030412 R1C225M2BC - 30-36RPM  
 Including: Motor 039101, shaft 039010



### 039413 NEMO M2 1~ 230V 25-30RPM

NEMO M type agitator motor  
 \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz  
 \* Power supply: Single phase 230V - 50-60Hz  
 \* Replacement for model:  
 - 030413 R1C225M2BC - 30-36RPM  
 Including: Motor 039101, shaft 039004



### 039421 NEMO M6 1~ 230V 25-30RPM

NEMO M type agitator motor  
 \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz  
 \* Power supply: Single phase 230V - 50-60Hz  
 \* Replacement for model:  
 - 030421 R1C245M6B - 32RPM  
 Including: Motor 039101, shaft 039005, flange 039056



### 039431 NEMO M6 1~/3~ 230-400V 25-30RPM

NEMO M type agitator motor  
 \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz  
 \* Power supply: Single phase 230V - 50-60Hz or three phase 400V - 50-60Hz  
 \* Replacement for model:  
 - 030431 R3245M6B - 30RPM  
 Including: Motor 039103, shaft 039005, flange 039056



### 039601 NEMO L5 1~ 230V 25-30RPM

NEMO L type agitator motor  
 \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz  
 \* Power supply: Single phase 230V - 50-60Hz  
 \* Replacement for model:  
 - 030601 R1C245L5B - 32RPM  
 Including: Motor 039101, shaft 039006, flange 039055



### 039602 NEMO L5 1~/3~ 230-400V 25-30RPM

NEMO L type agitator motor  
 \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz  
 \* Power supply: Single phase 230V - 50-60Hz or three phase 400V - 50-60Hz  
 \* Replacement for model:  
 - 030602 R3245L5B - 32RPM  
 Including: Motor 039103, shaft 039007, flange 039055



### 039604 NEMO L5 1~/3~ 230-400V 25-30RPM

NEMO L type agitator motor  
 \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz  
 \* Power supply: Single phase 230V - 50-60Hz or three phase 400V - 50-60Hz  
 \* Replacement for model:  
 - 030604 R3245L5B - 25RPM  
 Including: Motor 039103, shaft 039006, flange 039055





### **039608 NEMO L5 1~/3~ 230-400V 50-60RPM**

NEMO L type agitator motor

- \* Load speed: 50RPM at 50Hz
- \* Power supply: Single phase 230V - 50-60Hz
- \* Replacement for model:

- 030608 R1C245L5B - 48RPM

Including: Motor 039150, shaft 039006, flange 039055



### **039609 NEMO L5 1~/3~ 230-400V 25-30RPM**

NEMO L type agitator motor

- \* Load speed: 25RPM at 50Hz, 30RPM at 60Hz
- \* Power supply: Single phase 230V - 50-60Hz or three phase 400V - 50-60Hz
- \* Replacement for model:

- 030609 R3245L5B - 32RPM

Including: Motor 039103, shaft 039006, flange 039055



## D011 - WASH PUMPS - HANNING



### 040320 PS80 3-PHASE

Pump Hanning PS80 3-phase 220/380V - P: 2800W - 50hz - IP 54 - Max pressure: 1,8 bars - Q max: 800l/min. Ø ext suction: 62mm - Øext pressure: 54mm

*JAPY, PRO-INOX*



### 040555 WASH PUMP FP66 1,1KW

Stainless steel wash pump FP66 with piping, 1,1KW 230V.

*PACKO*

## D020 - WASH PUMPS - SPARES - SIREM COMPATIBLE



### 040331-S MOUNTING RAIL - SIREM COMPATIBLE

Mounting rails for wash pump (by pairs)



### 040332 REPAIR SET H TYPE PUMP - SIREM COMPATIBLE

Repair set H type pump comprising: 1 impeller Ø 120 (040333), 1 pump body (040334), 8 screws 5x22 (040337), 1 o-ring Ø 142x3.53 (040341), 1 nitrile floating-ring type shaft seals (040390), 1 intermediate flange (040391), 1 deflector (040392) - inlet Ø 40mm - outlet Ø : outer Ø 25.4mm / inner Ø 18.6mm. Sirem compatible - substitutable without modification

*PROMINOX, SERAP, PRO-INOX*



### 040333 IMPELLOR H TYPE PUMP - SIREM COMPATIBLE

Impeller for H type pump, Ø 120mm - with joint holster Ø 16.  
Fits on SIREM H-Type pump (SIREM ref. 20 1570 0001). Sirem compatible - substitutable without modification

*SERAP, PROMINOX, PRO-INOX*



### 040334 FRONT COVER H TYPE PUMP - SIREM COMPATIBLE

Front cover with central water inlet and water lateral outlet - plain inlet external Ø 40mm - ribbed outlet Ø 22mm groove bottom. Sirem compatible - substitutable without modification

*PROMINOX, SERAP*



### 040335-S IMPELLOR H TYPE PUMP WITHOUT SHAFT - SIREM COMPATIBLE

Impeller for H type pump without shaft



### 040336 REPAIR SET H TYPE PUMP ALFA WITH THREADED OUTLET - SIREM COMPATIBLE

Repair set for Alfa H type pump comprising: 1 impeller Ø 120 (040333), 8 screws 5x22 (040337), 1 Alfa pump body (040338), 1 nitrile floating-ring type shaft seals (040390), 1 intermediate flange (040391), 1 deflector (040392), 1 o-ring Ø 142x3.53 (040341) - inlet diameter 40mm - outlet diameter : outer Ø 22mm / inner Ø 18.6 mm - threaded Alfa outlet. Sirem compatible - substitutable without modification

*ALFA LAVAL, PROMINOX*



### 040338 FRONT COVER PUMP H ALFA - SIREM COMPATIBLE

Front cover with water inlet, outer Ø 40mm and threaded outlet Ø 22mm - 2 vent screws. Sirem compatible - substitutable without modification

*ALFA LAVAL, PROMINOX*

### 040339 SCREW FRONT COVER PUMP K 5X22 - SIREM COMPATIBLE



Screw 5 x 22 - VP WN 1442 KB Stainless Steel for K type pump body. 6 screws per pump body.


JAPY, PACKO

### 040340-S WASHER FRONT COVER PUMP K - SIREM COMPATIBLE



Washer Stainless Steel for K type pump body. 2 units per pump body.

### 040341 O-RING H TYPE PUMP - SIREM COMPATIBLE



O-ring Ø 142 x 3.53 for H type pump

SERAP, PROMINOX, PRO-INOX

### 040342 SCREW FRONT COVER PUMP K 5X50 - SIREM COMPATIBLE



Screw 5 x 50 Stainless Steel for K type pump body. 2 units per pump body.

JAPY, PACKO

### 040380-S IMPELLOR PUMP JB - SIREM COMPATIBLE



Impeller with 2 blades + insert for JB type pump

### 040381 REPAIR SET K TYPE PUMP - SIREM COMPATIBLE



Repair set K type pump comprising: 1 impeller Ø 107 (040384), 1 pump body (040383), 6 screws 5x22 (040339), 2 screws 5x50 (040342), 2 washers (040340), 1 o-ring Ø 135x6.99mm (040386), 1 nitrile floating-ring type shaft seals (040390), 1 intermediate flange (040391), 1 deflector (040392) - inlet diameter 50mm - outlet diameter : external Ø 37mm / internal Ø 29.3mm. Sirem compatible - substitutable without modification

JAPY, PACKO

### 040383 FRONT COVER K TYPE PUMP - SIREM COMPATIBLE



Front cover with central water inlet and lateral water outlet - vent screw - plain inlet outer Ø 50mm - ribbed outlet Ø 35mm on groove bottom. Sirem compatible - substitutable without modification

PACKO, JAPY

### 040384 IMPELLOR K TYPE PUMP - SIREM COMPATIBLE



Impeller for K type pump Ø 107mm. Sirem compatible - substitutable without modification

*JAPY, PACKO*



**040386 O-RING K TYPE PUMP - SIREM COMPATIBLE**

O-ring Ø 135 x 6.99 for K type pump

*JAPY, PACKO*



**040390 SHAFT SEAL SET K AND H TYPE PUMPS (040382) - SIREM COMPATIBLE**

Nitrile floating-ring type shaft seals for K and H type pumps - shaft Ø 16mm, mechanical seal for pumps. Sirem compatible - substitutable without modification

*SERAP, JAPY, PROMINOX, PRO-INOX, PACKO*



**040391 INTERMEDIATE FLANGE K AND H (040384) - SIREM COMPATIBLE**

Part of pump body situated between front cover and motor - same spare-part for SIREM K and H type pumps. Sirem compatible - substitutable without modification

*ALFA LAVAL, SERAP, PROMINOX, JAPY, PRO-INOX*



**040392 DEFLECTOR K AND H TYPE PUMP (040385) - SIREM COMPATIBLE**

Deflector - external Ø 50mm - internal Ø 16 - for K and H type pumps.. Sirem compatible - substitutable without modification



**040393-S FAN COVER FOR PUMPS (037005) - SIREM COMPATIBLE**

Plastic fan cover for pump motor.

*SERAP, JAPY, PRO-INOX*



**040394-S FAN BLADE FOR PUMP - SIREM COMPATIBLE**

Fan blade for Sirem pump motor - plastic

*SERAP, JAPY, PROMINOX, PRO-INOX*



## D030-141 - DRAIN VALVE N.C. D40-24V



### 041435 ANTI-LEAK VALVE

SIRAI anti-leak valve for SIC wash system

*FIC - FRIGOMILK*



### 041436 ANTI-LEAK VALVE

SIRAI anti-leak valve for SIC wash system A/C

*FIC - FRIGOMILK*



### 043125 ELVA SOLENOID DRAIN VALVE NC DN40 24 V DC

ELVA SOLENOID DRAIN VALVE - DN40 - Threaded/Threaded - Normally closed - 24 V DC 50 Hz - Electronic fuse in connector, red power LED, protection class IP65.

*FIC - FRIGOMILK*



### 043127 ELVA SOLENOID DRAIN VALVE NC DN40 24 V AC

ELVA SOLENOID DRAIN VALVE - DN40 - Threaded/Threaded - Normally closed - 24 V AC 50 Hz - Electronic fuse in connector, red power LED, protection class IP65.

*FIC - FRIGOMILK*

## D030-142 - DRAIN VALVE N.C. D40-230V



### 042120 MÜLLER SOLENOID DRAIN VALVE DN40 220V (050903)

Solenoid drain valve DN40 - 220/240V - 50/60Hz - IP65. Normally closed. Connections smooth/smooth. Coil with DIN connector.

*JAPY, PACKO, MUELLER*



### 042121 MÜLLER SOLENOID DRAIN VALVE DN40 220V (059750)

Solenoid drain valve DN40 - 220/230V-50Hz-IP65. Normally closed. Connections threaded/threaded. Coil with DIN connector

*ALFA LAVAL, PROMINOX, WEDHOLMS*



### 042122 MSV SOLENOID DRAIN VALVE DN40 230V (059751)

Solenoid drain valve DN40 - 230V-50Hz-IP65. Normally closed. Connections Smooth/Threaded. DIN connector coil.

*Available NX, MUELLER, PACKO, JAPY*



### 042182 MSV SOLENOID DRAIN VALVE SIRAI NC DN40 230V SMOOTH/THREADED

Solenoid drain valve normally closed DN40 230V with cable



### 043121 ELVA SOLENOID DRAIN VALVE NC DN40 220 V

ELVA SOLENOID DRAIN VALVE - DN40 - Threaded/Threaded - Normally closed - 220 V A/C 50 Hz - Coil with connector and red power LED. Made in EU.

*JAPY, ELVA, MUELLER, PACKO*

## D030-143 - DRAIN VALVE N.C. D40-400V



### 042101 MSV SOLENOID DRAIN VALVE DN40 400V (056020)

Solenoid drain valve DN40 - 400V-50Hz-IP65. Normally open. Connections smooth/smooth. Coil with 1.5m cable

*JAPY, MUELLER*



### 042109 MSV SOLENOID DRAIN VALVE DN40 400V (059561)

Solenoid drain valve DN40 - 400V-50Hz-IP68. Normally closed. With manual release. Connections smooth/smooth. Coil with 1.5m cable. Replaces Huba drain valve 400V



### 043101 ELVA SOLENOID DRAIN VALVE NO DN40 400V

ELVA SOLENOID DRAIN VALVE - DN40 - Threaded/Threaded - Normally open - 400 V A/C 50 Hz - Electronic fuse in connector, red power LED, protection class IP65.

*PACKO, ELVA, JAPY, MUELLER*



### 043109 ELVA SOLENOID DRAIN VALVE NC DN40 400V

ELVA SOLENOID DRAIN VALVE - DN40 - Threaded/Threaded - Normally closed - 400 V A/C 50 Hz - Electronic fuse in connector, red power LED, protection class IP65.

*JAPY, ELVA, MUELLER, PACKO*

## D030-144 - DRAIN VALVE N.O. D40-230V



### 042111 MÜLLER SOLENOID DRAIN VALVE DN40 220V (051750)

Solenoid drain valve DN40 - 220/230V-50Hz-IP65. Normally open. Connections threaded/threaded. Coil with DIN connector.

SERAP



### 042112 MSV SOLENOID DRAIN VALVE DN40 230V (051751)

Solenoid drain valve DN40 - 230V-50Hz-IP65. Normally open. Connections smooth/smooth. Coil with DIN connector.

SERAP



### 043111 ELVA SOLENOID DRAIN VALVE NO DN40 220 V

ELVA SOLENOID DRAIN VALVE - DN40 - Threaded/Threaded - Normally open - 220 V A/C 50 Hz - Electronic fuse in connector, red power LED, protection class IP65.

SERAP



## D030-151 - DRAIN VALVE NC & NO D50



### 042130 MÜLLER SOLENOID DRAIN VALVE DN50 230V (095300)

Solenoid drain valve DN50 - 230V-50Hz-IP65. Normally closed. Connections smooth/smooth. Coil with DIN connector.

DAIRYMASTER



### 042135 MSV SOLENOID DRAIN VALVE DN50 400V (095305)

Solenoid drain valve DN50 - 400V - 50 HZ - IP 65. Normally closed. Connections smooth/smooth. Coil with 1.5m cable

JAPY



### 042136 MSV SOLENOID DRAIN VALVE DN50 230V (51495)

Solenoid drain valve DN50 - 230V-50Hz - IP65. Normally open. Connections smooth/smooth. Coil with DIN connector. Former version with black coil.

JAPY



### 042184 SOLENOID DRAIN VALVE SIRAI NC DN50 24V SMOOTH/THREADED

Solenoid drain valve normally closed DN50 24V with cable. For milk cooler FIC.

FIC - FRIGOMILK



### 043128 MSV SOLENOID DRAIN VALVE ELVA D/C NF DN50 24 V

SOLENOID DRAIN VALVE ELVA - DN50 - Threaded/Threaded - Normally closed - 24 V D/C- Electronic fuse in connector, protection class IP65.

FIC - FRIGOMILK



### 043130 MSV SOLENOID DRAIN VALVE ELVA C/C NF DN50 220 V

SOLENOID DRAIN VALVE ELVA - DN50 - Threaded/Threaded - Normally closed - 220 V A/C 50 Hz - Coil with connector and red power LED. Made in EU.

JAPY



### 043132 MSV SOLENOID DRAIN VALVE ELVA C/C NF DN50 400V

SOLENOID DRAIN VALVE ELVA - DN50 - Threaded/Threaded - Normally closed - 400 V A/C 50 Hz - Electronic fuse in connector, red power LED, protection class IP65.

JAPY, ELVA

## D031 - SOLENOID COILS DRAIN & SUPPLY VALVES



### 042162 SOLENOID COIL 220 V FOR DRAIN VALVE MÜLLER 042121 (7391)

Coil 220 V for drain valve DN 40 (042121). Normally closed. DIN connector



### 042195 SOLENOID COIL FOR DRAIN VALVE SIRAI 230V

Solenoid coil for drain valve 230V



### 042196 SOLENOID COIL FOR DRAIN VALVE SIRAI 24V

Solenoid coil for drain valve 24V

*FIC - FRIGOMILK*



### 042198 SOLENOID COIL FOR DRAIN VALVE SIRAI 24V A/C 50 Hz

Bobine électrovanne de vidange SIRAI 24V A/C 50 Hz



### 042340 SOLENOID COIL MULLER WATER VALVE 230 V (04481RA)

Solenoid coil for water supply valve - 220V-50Hz - with flat pin plugs

*PACKO-FULLWOOD, WESTFALIA, DELAVAL*



### 042341 SOLENOID COIL MULLER WATER VALVE 24V AC (4316DA)

Solenoid coil for water supply valve - 24VAC - 50HZ - with flat pin plugs

*BOUMATIC, DELAVAL*



### 042342 MULLER SOLENOID COIL WITH 1M CABLE (05266RA)

Solenoid coil for water supply valve - 220V-50Hz - with 1m cable

*PACKO-FULLWOOD, SERAP*



### 042344 SOLENOID COIL MULLER WATER VALVE 380V (02699 IB)

Solenoid coil for water supply valve - 380V - 50HZ - with flat pin plugs



**GALACTEA GROUP**  
Milk Coolers & Spare Parts

Pictures are not contractually binding



**042345 SOLENOID COIL FOR MULLER AIR VALVE MV 220V AC (8834)**

Solenoid coil for air valve - 220V AC - with flat pin plugs

*WESTFALIA, GASCOIGNE-MELOTTE, PACKO-FULLWOOD*



## D035 - DIAPHRAGMS



### 042159 DIAPHRAGM FOR HUBA SOLENOID DRAIN VALVE DN40

Diaphragm for solenoid drain valve DN40 - Normally closed



### 042160 DIAPHRAGM FOR MULLER SOLENOID VALVE DN40 (004590)

Diaphragm for solenoid drain valve DN 40. Normally closed or Normally open.



### 042161 VALVE BODY DN40 FOR MÜLLER SOLENOID DRAIN VALVE 042121

BODY VALVE DN40. Connections threaded/threaded 1' 1/2



### 042163 DIAPHRAGM SET FOR MULLER 40 DRAIN VALVE NC

Diaphragm set for Muller drain valve DN 40 (042121). Normally closed



### 042164 DIAPHRAGM FOR SOLENOID VALVE DN 50 MULLER COMPATIBLE

Diaphragm for solenoid drain valve DN 50 - Normally closed or normally open.



### 042170 VALVE BODY DN40 FOR MV MÜLLER 042120

BODY VALVE DN40. Smooth connections 1" 1/2, for solenoid drain valve type 04120



### 043150 DIAPHRAGM SET DN 40 FOR ELVA DRAIN VALVE

Membrane kit for ELVA drain valve DN 40 including 1 axe, 1 guide & 1 membrane



### 043151 CONNECTOR WITH CABLE 24 V FOR ELVA DRAIN VALVE

Connectors and cable for ELVA 24 V DC valves



### **043152 CONNECTOR WITH CABLE 220 V FOR ELVA DRAIN VALVE**



Connectors and cable for ELVA 220 V valves

**ELVA**

### **043153 CONNECTOR WITH CABLE 400 V FOR ELVA DRAIN VALVE**



Connectors and cable for ELVA 400 V valves

### **043155 SPRING FOR ELVA DRAIN VALVE**



Spring for ELVA valves

### **043160 DIAPHRAGM FOR SV ELVA DN40**



Diaphragm for ELVA DN40

## D036 - AIR-, SUCTION- AND 3-WAY VALVES



### 042503 MULLER SOLENOID AIR VALVE 230V (076100)

Solenoid air valve - 230V - 50/60Hz. Male G3/4 inlet - angled outlet Ø 13mm. Coil with flat pin plugs. Type 26.005.115

*WESTFALIA*



### 042504 MULLER SOLENOID AIR VALVE 230V (076500)

Solenoid air valve 230V-50Hz. Male G3/4 inlet - straight outlet Ø 13mm. Coil with flat pin plugs. Type 26.005.125

*GASCOIGNE-MELOTTE, PACKO-FULLWOOD*



### 042506 MSV 3-WAY PILOT AIR VALVE (076760)

Solenoid 3-way pilot air valve 230V. Straight G3/8 male inlet/outlet. Removable coil with flat pin plugs. Suitable for article number 051464. Type 26.008.126



### 042509 MULLER VACUUM OPERATED VALVE DN40 (051464)

3-way valve DN40 threaded 1,5 inch inlet/outlets. Vacuum operated (3-way solenoid pilot air valve)

*GASCOIGNE-MELOTTE, PACKO*

## D037-02 - SOLENOID WATER SUPPLY VALVES 400V



### 042456 EV SINGLE WATER SUPPLY VALVE 24V

Single water supply valve - 24V - 50Hz. Male inlet G3/4" - straight outlet Ø10mm . Coil with spade terminals .

*FIC - FRIGOMILK*



### 042458 SV MULLER SINGLE WATER SUPPLY VALVE 400V

Single straight water supply 400V - G3/4 male inlet - 13mm straight outlet - Coil with spade terminals.

*JAPY*



### 042469 SV MULLER TWIN WATER SUPPLY VALVE 400V

Twin water supply - 400V. Male G3/4 inlet - Straight outlet Ø13mm. Coil with spade terminals.

*JAPY*

# D037-11 - SOLENOID SIMPLE WATER SUPPLY VALVES 230V

## 042220 MULLER SINGLE WATER SUPPLY VALVE 220V (065579)



Solenoid single water supply valve - 220V. Male G3/4 inlet - angled outlet Ø 10 mm. Coil with 1 m cable. For Serap tank - supplier reference Müller Type 1.010.115 -

*SERAP*

## 042221 MULLER SINGLE WATER SUPPLY VALVE 220V (65500)



Solenoid single water supply valve - 220V. Male G3/4 inlet - angled outlet Ø 13mm. Coil with 1m cable. Can be used to replace 42220 if hose compatible with diameter Ø 13.

*PACKO*

## 042222 MULLER SINGLE WATER SUPPLY VALVE 220V (66012)



Solenoid single water supply valve - 220V. Male G3/4 inlet - straight outlet Ø 12mm. With flat pin plugs

*JAPY, PROMINOX, WESTFALIA*

## 042240 MULLER SINGLE WATER SUPPLY VALVE 220V



Solenoid single water supply valve - 220V. Male G3/4 inlet - angled outlet Ø 10 mm. With flat pin plugs. For Serap tank

*SERAP*

## 042300 SOLENOID SINGLE WATER SUPPLY VALVE ANGLED 220V Ø13MM



Solenoid single water supply valve - 220/240V-50/60Hz. Male G3/4 inlet - angled outlet Ø 13mm. Coil with flat pin plugs.

*SERAP*

## 042301 MSV SOLENOID SINGLE WATER SUPPLY VALVE 220V Ø13MM



Solenoid single water supply valve - 220/240V - 50/60Hz. Male G3/4 inlet - straight outlet Ø 13mm. Coil with flat pin plugs

*Available NX, PRO-INOX, JAPY*

## 042302 MSV SOLENOID SINGLE WATER SUPPLY VALVE 220V Ø13MM (066525)



Solenoid single water supply valve - 220V - 50/60Hz. Male G3/4 inlet - straight outlet Ø13mm. Normally closed - Removable coil with 1m cable.





**042303 MSV SOLENOID SINGLE WATER SUPPLY VALVE 220V Ø10MM**

Solenoid single water supply valve - 220/240V - 50/60Hz. Male G3/4 inlet - straight outlet Ø 10mm. Coil with flat pin plugs

*SERAP, PROMINOX*



**042307 MSV SOLENOID SINGLE WATER SUPPLY VALVE ANGLED 220V Ø10MM**

Solenoid single water supply valve - 220/240V - 50/60Hz. Male G3/4 inlet - angled outlet Ø 10mm. Coil with flat pin plugs

*SERAP*



**042350 SOLENOID SINGLE WATER SUPPLY VALVE PX (99 AKM)**

Special solenoid valve for Alfa Laval / Prominox spray head. 220/240V - 50/60Hz. DN10 to be screwed into the wash box. Coil with flat pin plugs and earth.

*ALFA LAVAL, PROMINOX, MANUS*



**042351 SOLENOID WATER SUPPLY VALVE NO KRYOS MFT21**

Special solenoid valve for KRYOS MFT21 tanks. Normally open. 200-240V-50/60Hz. Inlet Ø 3/4" - outlet Ø 12 mm. Coil with flat pin plugs.

*JAPY*



**042405 SOLENOID SINGLE WATER SUPPLY VALVE 220V (089040)**

Solenoid single water supply valve - 220V. Male G3/4 inlet - straight DN13 outlet

*PROMINOX*

# D037-12 - SOLENOID DOUBLE WATER SUPPLY VALVES 230V



## 042211 SOLENOID TWIN WATER SUPPLY VALVE 220V

Solenoid twin water supply valve - 220-240V- 50Hz. Male G3/4 inlet - straight outlet Ø 10mm. Coil with flat pin plugs.

**SERAP**



## 042230 MSV SOLENOID TWIN WATER SUPPLY VALVE 220V (067540)

Solenoid twin water supply valve - 220V - 50/60Hz. Male G3/4 inlet - angled twin outlet Ø 10mm. Coil with 1m cable. For Serap tanks

**SERAP**



## 042231 MSV SOLENOID TWIN WATER SUPPLY VALVE 220V

Solenoid twin water supply valve - 220/240V - 50/60 Hz. Male G3/4 inlet - angled twin outlet Ø 10mm. Coil with flat pin plugs



## 042310 MSV SOLENOID TWIN WATER SUPPLY VALVE 220V

Solenoid twin water supply valve - 220V - 50/60Hz. Male G3/4 inlet - Straight double outlet Ø 13mm. Coil with pin plugs



## 042311 MSV SOLENOID TWIN WATER SUPPLY VALVE 220V (068000)

Solenoid twin water supply valve - 220V. Male G3/4 inlet - straight outlet Ø 13mm. Coil with flat pin plugs. Type 1.010.225

**JAPY**



## 042312 MSV SOLENOID TWIN WATER SUPPLY VALVE 220V (068514)

Solenoid twin water supply valve - 220/240V - 50/60Hz. Male G3/4 inlet - straight double outlet Ø 13. Coil with 1m cable.

**PROMINOX**



## 042313 MSV SOLENOID TWIN WATER SUPPLY VALVE 220V

Solenoid twin water supply valve - 220V - 50/60Hz. Male G3/4 inlet - Straight double outlet Ø 10mm. Coil with pin plugs



### 042316 SOLENOID TWIN WATER SUPPLY VALVE 220V ANGLED

Solenoid twin water supply valve - 220 / 240V-50 / 60Hz. Male G3/4 inlet - angled double outlet Ø 13mm. Coil with flat pin plugs



### 042330 MSV SOLENOID TWIN WATER SUPPLY VALVE 220V (067000)

Solenoid twin water supply valve - 220V. Male G3/4 inlet - angled outlet Ø 13mm. Coil with flat pin plugs. Type 1.010.215

**PACKO**



### 042401 MSV 2-WAY WATER SUPPLY VALVE (085011)

2-way water supply valve - 220V-50/60Hz. Male G1/2 inlet/outlet. Removable and rotary connector coil



### 042411 SOLENOID MIXING TWIN WATER SUPPLY VALVE (085400)

Solenoid mixing twin water supply valve - 220V - 50/60Hz. Double male G3/4 inlet - single angled outlet Ø 13mm. Coil with 60cm cable. Type 1.010.216

**SERAP, DELAVAL**

## D041 - RUBBER ITEMS



### 041251 BACKFLOW TUBE

Backflow tube for wash system MFT21.4 1P - D=1250/1560mm.

JAPY



### 041261 AED BEND MFT21

AED bend for wash system MFT21 Kryos 1992 ->04.1994

JAPY



### 041262 SUCTION TUBE MFT21KH-TCW

Suction tube for wash system MFT21KH-TCW.

JAPY



### 041270 RUBBER T FOR AED

Rubber T for AED, wash system MFT21.4 1P D1250/ 1560mm.

JAPY



### 041280 LINK TUBE MFT21

Link tube for wash system MFT21 Kryos 1992 ->04.1994

JAPY



### 041281 WASH HEADER MFT21.4 1P

Wash header MFT21.4 1P - D=1250/1560mm.

JAPY



### 041291 ELECTRODE SUPPORT MFT21/KH

Electrode support Level detection MFT21/21.4/KH

JAPY





**041601 RUBBER BEND Ø40/40MM**

Rubber bend Ø 40/40mm - food grade material



**041602 RUBBER BEND Ø50/50MM**

Rubber bend Ø 50/50mm - food grade material

*Available NX, PRO-INOX, JAPY*



**041603 RUBBER BEND Ø40/50MM**

Rubber bend Ø 40/50mm - food grade material

*Available NX, PRO-INOX*



**041604 RUBBER BEND Ø63/50MM**

Rubber bend Ø63/63mm, food grade material

*Available NX*



**041607 RUBBER SLEEVE Ø50MM**

Rubber sleeve Ø50mm, food grade material

*Available NX*



**041608 RUBBER SLEEVE Ø63MM**

Rubber sleeve Ø63mm, food grade material



**041609 RUBBER SLEEVE Ø63/50MM**

Rubber sleeve, reducer Ø63/50mm, food grade material



**041610 RUBBER BEND Ø40/30MM**

Rubber bend Ø40/30mm, food grade material (Adaptable JAPY)



### 041614 RUBBER SLEEVE Ø40MM

Rubber sleeve Ø40mm, food grade material



### 041620 RUBBER T-PIECE Ø50/40/50MM

Rubber T-piece Ø 50/40/50mm - food grade material

*Available NX, PRO-INOX*



### 041651 RUBBER T-PIECE Ø40/40/40MM

Rubber T-piece Ø 40/40/40mm - food grade material



### 041652 RUBBER T-PIECE Ø50/50/50MM

Rubber T-piece Ø 50/50/50mm - food grade material

*PRO-INOX, JAPY*



### 041653 JAPY SUCTION PIPE

Junction pipe for water outlet , dump valve , water inlet and wash pump suction

*JAPY*



### 041654 PIPING PROBE HOLDER FOR JAPY CFS

rubber pipe for water outlet detector for JAPY type CFS tanks.

*JAPY*



### 041655 OUTLET BEND WITH GROUND TERMINAL JAPY

rubber outlet bend + ground D32mm.

*JAPY*

## D042 - SPRAY HEADS



### 041500 STATIONARY SPRAY HEAD (200334)

Stationary spray head - 1" Stainless Steel - for closed tanks



### 041501 ROTARY SPRAY HEAD SS (200335)

Rotary spray head - Stainless Steel - for closed tanks



### 041502 ROTARY SPRAY HEAD STAINLESS STEEL 2

Rotary spray head - Stainless Steel - for closed tanks approx. diameter 62mm - Threaded coupling



### 041510 ROTARY SPRAY HEAD (040202)

Rotary spray head. Fits JAPY tanks Ø 1250 mm - with additional drill hole at the spray head ends

*JAPY*



### 041511 ROTARY SPRAY HEAD

Rotary spray head. Fits JAPY tanks Ø 1560 mm and above.

*JAPY*



### 041514 SPLIT PIN STAINLESS STEEL 304 (040203)

Safety-pin INOX 304

*JAPY, PRO-INOX*



### 041515 STAINLESS STEEL BALL FOR ROTARY SPRAY HEAD (x 32)

Stainless Steel ball for rotary spray head, cross outlet / Prominox / Wedholms, sold in bags of 32 balls each.

*PROMINOX, PRO-INOX, WEDHOLMS*



### 041518 ROTARY SPRAY HEAD STAINLESS STEEL PRO-INOX WITHOUT BALLS

Rotary spray head PRO-INOX without balls.

## D043 - DETERGENT INTAKE - BOWLS - JUGS



### 02684 DETERGENT BOWL FRIGOMILK

*FIC - FRIGOMILK*



### 040211 O-RING FOR DETERGENT BOWL (40218)

O-ring for JAPY detergent bowls 65 x 3 - Japy-Westfalia type

*JAPY*



### 040211-S SILICONE SEAL FOR DETERGENT BOWL

Transparent silicone seal for detergent bowls 65 x 3 - Japy-Westfalia for CF-CFC type tanks

*JAPY*



### 040213 PINCH VALVE

Pinch valve 220V 50/60Hz for KRYOS tanks

*JAPY*



### 040215 DETERGENT BOWL FITTING FOR JAPY KRYOS

Detergent bowl fits Japy - KRYOS tanks

*JAPY*



### 040216 SOLENOID COIL FOR KRYOS PINCH VALVE

Solenoid coil for pinch valve - silicone molded - 110/240V - 50/60Hz - mounted on Kryos tanks with detergent bowl

*JAPY*



### 040217 SILICONE HOSE 8 X 12 MM

Silicone hose 8 x 12 mm - For Kryos tanks with detergent bowl - sold in rolls of 25 meters - price per linear meter

*JAPY*





**040218 DETERGENT BOWL PSU FOR JAPY**

Detergent bowl, polysulfone screw type fits JAPY - CF-CFS type tanks.

*JAPY*



**040219 HOLDER FOR DETERGENT BOWL JAPY PSF**

Detergent bowl socket fits JAPY CF-CFS tanks. Perfect replacement for original model. Material: POLYSULFONE

*JAPY*



**040220 DETERGENT BOWL FOR ALFA LAVAL (200404)**

Detergent bowl fits Alfa Laval - Prominox

*ALFA LAVAL, PROMINOX*



**040221 SEAL FOR ALFA PROMINOX DETERGENT BOWL**

Seal. Fits Alfa-Prominox detergent bowl

*ALFA LAVAL, PROMINOX*



**040222 FLAT SEAL FOR ALFA PROMINOX DETERGENT BOWL**

Flat seal for detergent bowls. Fits ALFA-PROMINOX. Thickness 1cm

*ALFA LAVAL, PROMINOX*



**040230 DETERGENT BOWL PACKO K (200405)**

Packo detergent bowl

*PACKO*



**040231 SEAL FOR PACKO JAR**

Seal for Packo detergent bowl

*PACKO*



### 040234 DETERGENT BOWL HOLDER

Detergent bowl support for packo.

*PACKO*



### 040251 HOLDER FOR DETERGENT BOWL MEKO-MUELLER

Detergent bowl socket fitting screw type. Fits MEKO - MULLER.

*SERAP, MUELLER*



### 040252 SEAL FOR DETERGENT BOWL MEKO-MUELLER

Seal for detergent bowls. Fits MEKO - MULLER.

*SERAP, MUELLER*



### 040420 PVC HOSE 5X8MM X 25M FOR DOSING PUMPS

PVC hose 5x8 mm for dosing pump Alfa-Prominox - sold in 25m rolls

*PROMINOX, SERAP*



### 040431 MFT21.4 WELDED DOSAGE LEVER

Dosage lever MFT21.4 D:1250/ 1560mm -

*JAPY*

## D044 - WATER SUPPLY AND FITTINGS CLEANING SYSTEM

### 040601 CURVED FEMALE CONNECTOR 20/27



Curved female connector 20/27. By sachet of 25pcs and 100pcs without the clamp rings.

### 040602 STRAIGHT FEMALE CONNECTOR 20/27



Straight female connector 20/27

### 040603 STRAIGHT FEMALE CONNECTOR 15/21



Straight female connector 15/21

### 040604 STRAIGHT MALE CONNECTOR 20/27



Straight male connector 20/27

### 040702 TAP WITH CROSS OUTLET 20/27



Tap with cross outlet 20/27

### 040802 RUBBER GASKET 20/27



Rubber joint 20/27 for the cock

### 040906 CLAMP RING 15 TO 18



Clamp ring 15/18 - white galvanized steel CDO 1518 - 100 pack - unit price

### 040910 CLAMP STAINLESS STEEL 08/16



INOX ring 08/16

## D045 - PERISTALTIC PUMPS AND ACCESSORIES



### 040401 24 V PERISTALTIC PUMP



Peristaltic dosing pump - Type IPS624VCC - 0.08A Tolerance: 5% Two rollers 16 L / h - 1 bar 85x105x100mm For FRIGOMILK-FIC tanks

*FIC - FRIGOMILK*



### 040402 PERISTALTIC PUMP 12V WITH CABLE

AMBIC 12V peristaltic pump with cable for Prominox tanks. 12V flow: 330ml/min. For HYGENIUS PLANT WASHER. Spare: silicon peristaltic hose ref 040403.

*PROMINOX, WEDHOLMS, PRO-INOX, DELAVAL, MUELLER*



### 040403 SILICONE PERISTALTIC HOSE FOR 12V PUMP (040402)

Silicone peristaltic hose for 12V peristaltic pump (ref 040402) with 2 fittings.

*PROMINOX, PRO-INOX, DELAVAL, MUELLER*



### 040404 SET FOR METERING PUMP CL2

Dosing pump set, replacement for detergent bowls on Prominox milk coolers with CL2 cleaning system: - 2 peristaltic pumps 12V - Stainless Steel cover replacing the 2 plastic covers - connection hoses

*PROMINOX*



### 040407 SUBSTITUTION DOSING PUMP PL2/C-STORM

Substitution dosing pump for 040402 pumps.

*Available NX, PRO-INOX, PROMINOX*



### 040408 PERISTALTIC PUMP 230V

Detergent pump adaptable WASH 2020. 5L/H

*SERAP*





### 040409 SERAP PERISTALTIC PUMP TUBE

Tube with smooth ends for SERAP pump 5.5l/h, from 11/2004.

*SERAP*



### 040412 HOSE FOR JAPY PERISTALTIC PUMP

Hose for peristaltic pump 1L/min For Japy pump prior to 15-10-2003 White silicone hose + 2 nipples

*JAPY*



### 040414 HOSE FOR JAPY PERISTALTIC PUMP

Hose for peristaltic pump 0.4L/min For Japy pump (Model 3300-0223-483) after 2003-10-15 Black silicone hose + 2 connectors

*JAPY*



### 040421 GREY PVC PIPE Ø9.7X13.5MM X 500MM

Grey PVC pipe Ø 9.7x12.5 mm - length 500mm for detergent intake of dosing pumps

*Available NX, PRO-INOX*



### 040422 BLACK PVC PIPE Ø9.5X12.7MM X 500MM

Black PVC pipe Ø 9.5x12.7 mm - length 500mm for detergent intake of dosing pumps

*Available NX, PRO-INOX*



### 040425 ADAPTABLE ALCALIN AND ACID DETECTION CANE

Adaptable Alcalin and acid detection cane

*Available NX, PRO-INOX, PROMINOX*



### 040430 PERISTALTIC PUMP 0,4L/MIN

Dosage pump 0,4L/min for JAPY EXPERT tanks from 10/2003.

*JAPY*



### 040440 PACKO PERISTALTIC PUMP

Peristaltic pump for PACKO.

*PACKO*



### 040757 ROLLER FOR 12V PUMP (040407)

Roller 6x9 for 12V pump from 2004

*PRO-INOX, SERAP*



### 040758 ROLLER FOR 220V PUMP (040408)

Roller for new generation 220v pump.

*SERAP*



### 040767 SILICONE TUBE FOR 12V PUMP (040407)

Silicone tube for new 12V pump

*PRO-INOX*



### 040769 WHITE SILICONE TUBE WITHOUT ENDS FOR PACKO TANK

White silicone tube without ends for PACKO dosing pump. Length: 20cm

*PACKO*

## D046 - WATER LEVEL SENSING



### 041290 ELECTRODE D5 x 152MM

Electrode for water level detector, diameter 5mm, length 152mm.

*JAPY*



### 041420 HORIZONTAL LEVEL SENSOR

Horizontal level sensor for ALFA-PROMINOX tanks

*Available NX, PRO-INOX, PROMINOX*



### 041421 FLOATING BALL 50MM

Polypropylene floating ball Ø 50 mm for Alfa-Prominox level detection

*Available NX, PRO-INOX, PROMINOX*



### 041424 OPTICAL WATER DETECTOR FOR C-STORM

Optical water detector for C-STORM wash panel.

*Available NX*

## D049 - ACCESSORIES CLEANING SYSTEM



### 040103 NON-RETURN FILTER

Non-return filter box for PRO-INOX wash panel

*Available NX*



### 040107 NON-RETURN FILTER FSEC - GIGANT

Non return filter for PRO-INOX FSEC 14000 wash panel (and more) - GIGANT



### 040703 DRAIN ELBOW DN40

Drain elbow keeping away from the wash smelling and enabling to stop corrosion.

*Available NX, PRO-INOX, JAPY*



### 041182 CONNECTION KIT SMS32 - SMOOTH PIPE D50 - BIOCOM

Biocom connection kit SMS32 containing a female SMS32 outlet with union nut and straight smooth ending pipe, stainless steel, Ø50mm 150 mm long



### 042450 FILTER TAP WITH SHUT-OFF VALVE (092300)

Filter tap with shut-off valve DN17. Stainless Steel screen 0,25mm. Connector type: Male G3/4 - Female G3/4.



### 042451 FILTER TAP WITH SHUT-OFF VALVE (091800)

Filter tap with shut-off valve DN10. Stainless Steel screen 0,25mm. Connector type: Male G3/4 - Female G3/4. With non-return mechanism



## E010 - CONTROL AND REGULATION



### 010301 ELECTRONIC CONTROL UNIT MCSP305-400V-BT-50HZ

Electronic control unit 400V 10A in housing with the following digital functions: - Electronic thermostat (-9° / +98°C) - Measurement scale: -9.9°C / +98.5°C - Increments of 0.2°C - Digital temperature display with one decimal accuracy (3-digit LED display) - Programmable agitation control (1-60 min operation - 1-60 min break) - Forced operation function for agitator programmable from 1 to 60 min - Probe with 5 m cable, NTC-type - Operation voltage 400V AC - 8W - IP65 - EC standards - Output for compressor => 10A 400V AC - Output for agitator => 10A 400V AC => max. power 4kW



### 010304 ELECTRONIC CONTROL MODULE MCSP304-220V-50HZ

Electronic control unit with the following digital functions: - Electronic thermostat (-5° / +30°C) - Measurement scale: -9.9°C / +90°C - Increments of 0.2°C - Digital temperature display with one decimal accuracy (3-digit LED display) - Programmable agitation control (1-60 min operation - 1-60 min break) - Forced operation function for agitator, programmable from 1 to 60 min - Forced operation function for refrigeration, programmable from 1 to 60 min - Probe with 3 m or 5 m cable (on request), NTC-type - Operation voltage 220V AC - IP30 - EC standards - Output for compressor => 30A 250V AC - Output for agitator => 10A 250V AC - Temperature recorder in option. FUIT version



### 010306 ELECTRONIC CONTROL MODULE MCSP305-B-220V-50/60HZ

Electronic control unit in housing with the following digital functions: - Electronic thermostat (-9° / +98°C) - Measurement scale: -9.9°C / +98.5°C - Increments of 0.2°C up to 60°C and 0,5°C thereabove - Digital temperature display with one decimal accuracy (3-digit LED display) - Programmable agitation control (1-60 min operation - 1-60 min break) - Forced operation function for agitator, programmable from 1 to 60 min - Probe with 5 m cable, NTC-type - Operation voltage 220V AC 50/60Hz - IP65 - EC standards - Output for compressor => 30A 250V AC - Output for agitator => 10A 250V AC. SERRE version



### 010308 ELECTRONIC CONTROL MODULE MCSP305-B-220V-50/60HZ - NEUTRAL

Electronic control unit in housing with the following digital functions: - Electronic thermostat (-9° / +98°C) - Measurement scale: -9.9°C / +98.5°C - Increments of 0.2°C up to 60°C and 0,5°C thereabove - Digital temperature display with one decimal accuracy (3-digit LED display) - Programmable agitation control (1-60 min operation - 1-60 min break) - Forced operation function for agitator, programmable from 1 to 60 min - Probe with 3.2 m or 5 m cable (on request), NTC-type - Operation voltage 220V AC 50/60Hz - IP35 - EC standards - Output for compressor => 30A 250V AC - Output for agitator => 10A 250V AC. Neutral version.



### 010309 ELECTRONIC CONTROL MODULE MCSP305-B2-3 FILS-220V-50/60HZ 3 CABLES

Electronic control unit in housing with the following digital functions: - Electronic thermostat (-9° / +98°C) - Measurement scale: -9.9°C / +98.5°C - Increments of 0.2°C up to 60°C and 0,5°C thereabove - Digital temperature display with one decimal accuracy (3-digit LED display) - Programmable agitation control (1-60 min operation - 1-60 min break) - Forced operation function for agitator, programmable from 1 to 60 min - Probe with 5 m cable, NTC-type - Operation voltage 220V AC 50/60Hz - IP65 - EC standards - Output for compressor => 30A 250V AC - Output for agitator => 10A 250V AC 50/60Hz - model with 3 separate cable outputs for power supply, refrigeration and agitator



Available NX



### 010310 PRO-INOX PL2 ELECTRONIC CONTROL BOX

Complete electronic control box. - Electronic control of cooling / agitation / and cleaning functions. - Alarm in the event of malfunction (cooling time too long, washing temperature to low, etc.) - Direct view of significant parameters from the last 5 operation cycles (cooling duration and temperature, washing temperature and cycle, etc.) - Operation test function - Compatible with Wedholms WinMaster and Prominox Excellent CL2 - temperature probe not included.

*Available NX, PRO-INOX, PROMINOX*



### 010311 PRO-INOX PL2 KEYBOARD CARD

Keyboard card with microcontroller - mounted with the keypad in the upper box section. Compatible with Wedholms WinMaster and Prominox CL2 Excellent

*PROMINOX, PRO-INOX*



### 010312 PRO-INOX PL2 BASE BOARD

Base board with transformer and relay. Compatible with Wedholms WinMaster and Prominox Excellent CL2 (new generation female connectors included).

*PROMINOX, PRO-INOX*



### 010328 DISPLAY CARD REGULATOR RL20 V4.00 + SCREW

AC030098 cartes affichage régulateur RL20 V4.00 + vis

*SERAP*



### 010350 MECHANICAL THERMOSTAT 0-10°C PENN

Mechanical thermostat with remote sensing bulb PENN A19AAF-9102 - Setting range 0-10°C - Differential 1.5°C - IP 30 - Replaces Teddington QRA 108 or JUMO AMf-1.

*PACKO, JAPY, ALFA LAVAL, SERAP*



### 010354 MILK GUARD TW-31-320

Can be monted on all tanks - Easy to install and to use - With programming software - USB interface - Option alarm SMS on mobile phone.



### 010355 REPLACEMENT KIT ADAPTABLE RL10

"RL10 replacement kit composed by one display PCB (part number 013011), one power supply PCB (part number 013010) and one keypad (part number 010410).

The boards are mounted in the same place in the RL10 box  
Addition robot setting with NO and NC contact and relay "

*SERAP*



### 010360-4P WASH TIMER UMS.-02 FOR PL3

Wash timer UMS-02 for PL3 with 4 programs: Programming device with pre-loaded universal programming cycle. The main function of the programmer UMS-02 consists in controlling external equipment during the cleaning process of the milk cooler. Frame designed for integration in a panel. FEATURES: - Wash programs - Editing and programming of process - Programming water heating - Test function to verify the correct operation of the system - Back to factory setting - Reset - Starting up of the pump washing or of the agitator manually. - Program Launch - Pause - Disabling the program - Time display.

ALFA LAVAL, JAPY



### 010367 ELECTRONIC REGULATOR MCH-07

Electronic regulator for milk coolers with monitoring and programming of cooling, agitation and washing



### 010391 ELECTRONIC REGULATOR MRE92 ex-TE92

Electronic control unit SMR-05 - can be mounted in replacement of TE92

ALFA LAVAL, PROMINOX



### 010418 RL20 ADAPTABLE PCB

Adaptable RL20 PCB with transformer and relay

SERAP



### 010421 EXPERT DISPLAY CARD

JAPY EXPERT display PCB.

JAPY



### 010430 MAINBOARD EXPERT JAPY

EXPERT JAPY PCB.

JAPY



### 010445 THERMOSTAT PCV2-2 WITH PROBE

Thermostat PCV2-2 with temperature probe

PACKO





### 010447 THERMOSTAT PCV4 WITH PROBE

Thermostat PCV4 with temperature probe

**PACKO**



### 010806 ELECTRONIC AGITATION TIMER 220/380

Mechanical agitation timer 220/380V 50 Hz - 16A - 2/13 min cycles. Origin EEC (former ref. 010804)

**JAPY**



### BEEPLTANKPF ELECTRONIC WASH TIMER REPLACEMENT BOARD FOR PACKO TANKS

Replacement board for mechanical Crouzet timers, on models PCV2, PCV2.2 & PCV4. Plug and play. Same fittings, connections and dimensions.

**PACKO**



## E011 - MILK COOLER ELECTRICAL SPARES



**Electrical spare-parts available(fuse holders; fuses; circuit-breakers; Phase controllers; transformers; switches; bipolar switches; contactors)**

**For further information please contact us or visit our website [www.galactea.eu](http://www.galactea.eu).**

010248 CIRCUIT BREAKER 10A (F2 + F3 FROM 7,5 TO 10CH)

010337 PHASE CONTROLLER

010423 TRANSFORMER 400V/230V A2

010435 RELAY 1 INVERSER

010436 BACO SWITCH

010639 CONTACTOR A9-30-10-13 50/60HZ 100-250V DC

010640 CONTACTOR A9-30-10 380-400V

010642 CONTACTOR A12-30-10 220-230V

010643 CONTACTOR A12-30-10 380-400V

010646 CONTACTOR A16-30-10 220-230V

010647 CONTACTOR A16-30-10 380-400V

010656 CONTACTOR ABB 3P A16-30-01 220-230V

010657 CONTACTOR ABB 3P A16-30-01 380-400V

010670 AUXILIARY CONTACTOR AUXILIAIRE OPEN

010671 AUXILIARY CONTACTOR CLOSED

010675 AUXILIARY CONTACT NO CIRCUIT BREAKERS

010676 ROTATING EMERGENCY BUTTON + 1 CONTACT NO

010677 CONTACT NF FOR EMERGENCY HEATING

010680 THERMAL MAGNETIC CIRCUIT-BREAKER 6-10A MS116

013021 TIMER MODULE 2ND GROUP

100401 LIGHT L55 250V AND 380

509930 RELAY WASH PUMP PL2

## E012 - TEMPERATURE PROBES (SENSORS)



### 010307 PROBE FOR MCSP 304 & 305 ELECTRONIC CONTROLS (041410)

Probe for electronic controls MCSP 304 & 305. 5 m cable.



### 010315 ORIGINAL PROBE FOR AC/TE/CL2 - 2.2 METERS

Original temperature probe for electronic controls AC / TE / Excellent CL2 ALFA - PROMINOX - WEDHOLMS and PL2 PRO-INOX. Cable length 2.2 meters.

*Available NX, PRO-INOX, PROMINOX, ALFA LAVAL*



### 010316 ORIGINAL PROBE FOR AC/TE/CL2 - 5 METERS

Original temperature probe for electronic controls AC / TE / Excellent CL2 ALFA - PROMINOX - WEDHOLMS and PL2 PRO-INOX. Cable length 5 meters.

*ALFA LAVAL, PROMINOX, PRO-INOX, WEDHOLMS*



### 010317 - REPLACEMENT PROBE MCSP92 - 3.50 METERS

Replacement probe for ALFA LAVAL and PROMINOX, cable length 3 m, compatible with AC/TE/EXCELENT



### 010325 PROBE FOR JAPY A3-A4-EXPERT-PYLOT-7 METERS (041407)

Probe. Fits JAPY-WESTFALIA tanks. Cable length 7m. Compatible with EXPERT/A3/A4/PYLOT

*JAPY*



### 010331 TEMPERATURE PROBE ADAPTABLE PACKO PCV2

Temperature probe adaptable Packo PCV2

*PACKO*



### 010332 TEMPERATURE PROBE FITTING FOR PACKO PCV 4-2 10 METERS

Temperature probe fitting for Packo PCV4-2, length 10m.

*Available NX, PACKO*



### 010336 TEMPERATURE PROBE FIC

Temperature probe FIC, Length : 155mm

*FIC - FRIGOMILK*



### 010349 THERMAL CONDUCTIVE GREASE

Thermal conductive grease - Packaging: 290ml cartridge



### 010444 TEMPERATURE PROBE PCV3

PCV3 temperature probe. Length 7m.

*PACKO*



### 010446 PCV2-2 TEMPERATURE PROBE

PCV2-2 temperature probe.

*PACKO*

## E013 - CAPACITORS



### 021327 PERMANENT CAPACITOR MLZ019/026

Permanent capacitor for MLZ019 to 026 single phase T5 70 $\mu$ F.



### 021331 PERMANENT CAPACITOR MLZ015

Permanent capacitor for MLZ015 single phased T5 40 $\mu$ F.



### 021361 STARTING RELAY RVA9CKL MOBILE TANK

STARTING RELAY RVA9CKL (for MLZ 15 to 26)



### 036001 CAPACITOR 2 $\mu$ F

Capacitor 2  $\mu$ F - 450V/wire leads 0.5 - (for 1C225BC - D/F/H.)



### 036001-5 CAPACITOR 1,5MF FOR FAN Ø 250 (010120)

Capacitor 1,5 $\mu$ F for fan Ø 250 ZIEHL-ABEGG MONO



### 0360012 CAPACITOR 12 $\mu$ F 450V

Capacitor 12  $\mu$ F 450V 50Hz



### 0360013 CAPACITOR 12 $\mu$ F (010136 & 010137)

Capacitor 12  $\mu$ F



### 036002 CAPACITOR 5 $\mu$ F

Capacitor 5  $\mu$ F - 450V/wire leads 0.5(M) - (for 1C245 all N/M/L types)





**036003 CAPACITOR 8 $\mu$ F - FOR FAN**

Capacitor 8  $\mu$ F - 450V/wire leads VDE 05 - (for 1C245 BR reinforced & for all N types in general)



**036005 CAPACITOR 18 $\mu$ F**

Capacitor for the agitator 18 $\mu$ F (030224)



**036006 CAPACITOR MF 1.25 $\mu$ F**

Capacitor 1.25 $\mu$ F (for 225 F/D)



**036007 CAPACITOR 4 $\mu$ F**

Capacitor 4 $\mu$ F.



**036008 CAPACITOR 7 $\mu$ F**

Capacitor 7 $\mu$ F



**036009 CAPACITOR 3 $\mu$ F (ex 036109 )**

Capacitor 3 $\mu$ F cable 25cm400V AC



**036010 CAPACITOR 10 $\mu$ F**

Capacitor 10 $\mu$ F for PB1C250H1B



**036016 CAPACITOR 16  $\mu$ F 400V - FOR FAN**

Capacitor 16  $\mu$ F 400V 50Hz



**036020 CAPACITOR 20 $\mu$ F**

Capacitor 20 $\mu$ F 450v wire leads 0.5m - dimensions 40x70

## E014 - KEYPADS & OVERLAYS



### 010301-P KEYPAD FOIL MCSP305 400V - GALACTEA

KEYPAD for controller 010301 - MCSP305-B - Dimensions : 73mm x 113mm - Color PANTON BLUE 293C - Color PANTON GREY COOL 3C Version



### 010302-P KEYPAD FOIL MCSP305 110V - GALACTEA

KEYPAD for controller 010302 - MCSP305-B - Dimensions : 73mm x 113mm Color PANTON BLUE 293C - Color PANTON GREY COOL 3C - Display field - matte



### 010306-P KEYPAD FOIL MCSP305 GALACTEA

KEYPAD for controller 010306 - MCSP305-B - Dimensions : 73mm x 113mm height



### 010308-P KEYPAD FOIL MCSP305 - NEUTRAL

KEYPAD for controller 010308 - MCSP305 Neutre, reference 010308.



### 010309-P KEYPAD FOIL MCSP305

KEYPAD for controller 010309 - MCSP305-B - Dimensions : 72mm x 113mm height



### 010313 KEYPAD PRO-INOX PL2

Adhesive keypad fitting for Wedholms WinMaster and Prominox Excellent CL2.

*PROMINOX, PRO-INOX, WEDHOLMS*



### 010391-P KEYPAD FOIL MRE92- GALACTEA

KEYPAD for controller 010391 - MRE92 - Dimensions: 73mm x 113mm height



### 010393 KEYPAD FOIL GALACTEA RE92

For TE92 and RE92 - Ref. 010392

*ALFA LAVAL*

### 010415 KEYPAD FOIL FITTING WASH 2000



Adhesive KEYPAD fitting for Wash 2000

*SERAP*

### 010417 KEYPAD FOIL FITTING PACKMAT



Adhesive KEYPAD fitting for Packmat

*PACKO*

### 010425 ADAPTABLE FIC STICKER



Sticker fitting FIC FIPO-1

*FIC - FRIGOMILK*

### 010427 STICKER FITTING FIC



Sticker fitting FIC FIPO-1. French/ Italian.

*FIC - FRIGOMILK*

### 010431 KEYPAD STICKER COMPATIBLE EXPERT JAPY



JAPY EXPERT keypad .

*JAPY*

### 010433 KEYPAD ADAPTABLE KRYOS PYLOT



Kryos Pylot keypad.

*JAPY*

### 010437 KEYPAD COVER COMPATIBLE EXPERT JAPY COMPLETE



Screen-printed keypad cover complete with gasket and keypad cover support for EXPERT JAPY tank.

*JAPY*



**GALACTEA GROUP**  
Milk Coolers & Spare Parts

Pictures are not contractually binding



## 010438 JOINT POUR PLASTRON CLAVIER ADAPTABLE EXPERT JAPY

JOINT POUR PLASTRON CLAVIER ADAPTABLE EXPERT JAPY

**JAPY**





## E020-12 - SS MANUAL BUTTERFLY VALVES SMS51



### 041006 SMS51 VALVE 2 WELDING ENDS

SMS51 butterfly valve, 2 welding ends



### 041007 SMS51 VALVE THREADED/WELDING ENDS

SMS51 butterfly valve, male threaded end - welding end



### 041008 SMS51 VALVE UNION NUT/WELDING END

SMS51 butterfly valve, union nut - welding end



### 041009 SMS51 VALVE 2 MALE THREADED ENDS

SMS51 butterfly valve, 2 male threaded ends



### 041010 SMS51 VALVE THREADED END / UNION NUT

SMS51 butterfly valve, male threaded end - union nut



### 041152 BLUE BALL FOR VALVE HANDLE

Blue ball Ø 39mm for valve handle - Ø 30mm



### 041153 BLUE BALL FOR VALVE HANDLE

Blue ball Ø 39mm for valve handle - Ø 39mm

## E020-14 - SS MANUAL BUTTERFLY VALVES SMS76



### 041070 VALVE D76 WELDING END

D76 butterfly valve - 2 welding ends.



### 041073 SMS76 VALVE THREADED END/UNION NUT

SMS76 butterfly valve - male threaded end - union nut



### 041074 SMS76 VALVE THREADED/THREADED ENDS

SMS76 butterfly valve - male threaded end - threaded end

## E020-32 - SS MANUAL BUTTERFLY VALVES DN50



### 041026 DIN50 VALVE 2 WELDING ENDS

DIN50 butterfly valve, 2 welding ends



### 041028 DN50 VALVE UNION NUT/WELDING END

DN50 butterfly valve, union nut - welding end



### 041029 DIN50 VALVE 2 MALE THREADED ENDS

DIN50 butterfly valve, 2 male threaded ends



### 041030 DIN50 VALVE THREADED END/UNION NUT

DIN50 butterfly valve, male threaded end - union nut

## E020-50 - SS MANUAL BUTTERFLY VALVES SMS-DIN



### **041170 STAINLESS STEEL VALVE SMS51 THREADED MALE END/DIN50 UNION NUT**

SMS51 butterfly valve male threaded end SMS51 / union nut DIN50



### **041171 STAINLESS STEEL VALVE THREADED MALE END DIN50/UNION NUT FEMELLE SMS51**

DIN50 butterfly valve male end DIN50 / union nut SMS51



## E021 - SS PNEUMATIC BUTTERFLY VALVES



**Assortment of pneumatic operators and valves.**

**Dimensions on request: SMS51, SMS63, SMS76, DIN50, DIN65, DIN80.**

**Available to be welded or assembled**

041086 PNEUMATIC VALVE SMS76

041090 PNEUMATIC ACTUATOR VALVE Ø51

041091 PNEUMATIC ACTUATOR VALVE Ø76

041094 PNEUMATIC VALVE M/F SMS51

## E022 - SS FITTINGS



### 041083 STRAIGHT WASHING CONNECTION PIPE SMS63 / SMOOTH PIPE

Straight washing connection pipe female SMS63 / Smooth pipe D51



### 041108 SMS51 PRESS ADAPTER FITTING THREADED END

SMS51 press adapter fitting with male threaded end



### 041111 SMS51 PRESS ADAPTER RING

SMS51 press adapter ring



### 041114 SMS51 UNION NUT

SMS51 union nut



### 041120 DIN50 WELD RING

DIN50 weld ring



### 041126 DIN50 PRESS ADAPTER RING

DIN50 press adapter ring



### 041129 DIN50 UNION NUT

DIN50 union nut



### 041146 STAINLESS STEEL ELBOW D50 WITH BOLT SMS51

Stainless steel elbow D51 with compression nut and smooth bush SMS51. Connectable to threaded outlet SMS51.



### 041147 SPOUT FOR SMS51 VALVE

SPOUT FOR SMS51 VALVE



### 041175 UNION COUPLING SMS51

SMS51 union coupling composed of an union ring and 2 weldable SMS51 adaptor fittings



### 041176 UNION COUPLING DN50

DN50 union coupling composed of an union ring and 2 weldable DN50 adaptor fittings



### 041177 UNION COUPLING DN40

DN40 union the coupling composed of an union ring and 2 weldable DN40 adaptor fittings



### 041179 STRAIGHT SMOOTH FITTING / SMS 25 F + NUT

Straight smooth fitting / SMS 25F + Nut

## E025 - VALVE SEALS AND SS COUPLINGS



### 041131 SMS51 OUTLET SEAL

SMS51 outlet seal



### 041132 DN50 OUTLET SEAL

DN50 outlet seal



### 041133 SILICONE VALVE BODY SEAL 50MM

Silicone seal for bodies of Stainless Steel butterfly valves. Fits Alfa-Laval / Charriau. Outer-Ø 64mm / Inner-Ø 48mm / Thickness 10.50mm



### 041139 SMS 63 OUTLET SEAL

Seal - SMS 63



### 041141 OUTLET SEAL SMS76

Outlet seal SMS76



### 041161 MCSP SILICONE VALVE BODY SEAL

Silicone seal for Stainless Steel valve bodies. For all MCSP valves except for polish standards



### 041162 SILICONE VALVE BODY SEAL SMS 76

Silicone gasket for BODY VALVE SMS 76



### 580023 CAP SEAL SMS104 FOR SELF CLEANING MOUNTING THREAD SMS51

Cap seal SMS 104 for self cleaning mouting tread SMS51





**580024 CAP SEAL DN 125 FOR SELF CLEANING MOUNTING THREAD DN50-SMS63-SMS76**



Cap seal DN125 for self cleaning mouting tread DN50-SMS63-SMS76



## E041 - DIP-STICKS - PINS - CALIBRATION CHARTS



**Dip-sticks for PRO-INOX milkcoolers with hanging pin.  
Other dip-sticks on request.**

**For further information please contact us or visit our  
website [www.galactea.eu](http://www.galactea.eu).**

050501 DIPSTICK PRO-INOX 1050 MM

050502 DIPSTICK PRO-INOX 1170 MM

050503 DIPSTICK PRO-INOX 1290 MM

050504 DIPSTICK PRO-INOX 1450 MM

050505 DIPSTICK PRO-INOX 1550 MM

050506 DIPSTICK PRO-INOX 650 MM

050507 DIPSTICK PRO-INOX 695 MM

050520 PIN FOR DIPSTICK

## E043 - SPRINGS - HINGES



### 050272 SPRING FOR MANHOLE COVER

Spring for manhole cover.

PROMINOX, PRO-INOX, ALFA LAVAL



### 100303 RETURN SPRING JAPY UES

Manhole lid return spring for milk coolers UES Japy. Succeeds Fermod

JAPY



### 100304 HINGE. FERMOD COMPATIBLE.

Hinge. Tie rod. For JAPY U - UE - UES type tanks. Fermod compatible

JAPY



### 100306 UE HINGE SPRING LEFT SIDE. FERMOD COMPATIBLE.

Left spring for hinge of Japy U, UE, UES tanks. Fermod compatible.

JAPY



### 100307 UE HINGE SPRING RIGHT SIDE. FERMOD COMPATIBLE.

Right spring for hinge of Japy U, UE, UES tanks. Fermod compatible.

JAPY



### 100308 SCREW M6 X 60 FOR MOBILE PIN HINGE. FERMOD COMPATIBLE.

Screw M6 X 60 for mobile hinge pin of Japy U, UE, UES tanks. Fermod compatible.

JAPY



### 100309 PVC TUBE FOR HINGE. FERMOD COMPATIBLE.

PVC tube for hinge of Japy U, UE, UES tanks. Fermod compatible.

JAPY



**100311 UE REPLACEMENT HINGE RIGHT SIDE. FERMOD COMPATIBLE.**

Right hand side replacement hinge. For JAPY UE type tank. Fermod compatible.

*PRO-INOX, JAPY*



**100312 UE REPLACEMENT HINGE LEFT SIDE. FERMOD COMPATIBLE.**

Left hand side replacement hinge. For JAPY UE type tank. Fermod compatible.

*PRO-INOX, JAPY*



**100313 STATIONARY PIN FOR HINGE. FERMOD COMPATIBLE.**

Stationary pin for UE hinge. Fermod compatible.

*JAPY*



**100314 MOBILE PIN FOR HINGE. FERMOD COMPATIBLE.**

Mobile pin for UE hinge. Fermod compatible.

*JAPY*



**100321 RIGHT HINGE SUPPORT SCH**

Right view, hinges side



**100322 LEFT HINGE SUPPORT SCH**

Left view, hinges side



**692060 PACKO LID ACTUATOR**

Lid actuator for PACKO OM-DX, upto 850L.

*PACKO*



## E044 - LADDERS - STEP STOOLS



**GALACTEA** supplies all types of ladders for milk coolers manufactured in our factory.

Please contact us for any products which are not in our list below.

100150 LADDER 2 STEPS FOR TANKS ALFA CH-HCA

100151 LADDER 1 STEP CH 1100 L TO ch 2600L - HCA 1800 TO 3500L

100152 LADDER 1 STEP FC 1100 L TO FC 2600 L

100153 LADDER CAP

100154 LADDER 2 STEPS FC 3200L

100156 LADDER 2 STEPS FEC 12500 TO 16000 L

100158 LADDER 4 STEPS FSEC 8000 TO 30000 L

100159 LADDER 2 STEPS FC 3550 - 8100

100160 LADDER 3 STEPS FEC 10000L - 16000L

## E045 - PLUGS - COVERS - DEFLECTORS



### 010501 REAR BOX COVER

Rear cover for electrical box. Fits JAPY

JAPY



### 050101 RUBBER BALL

Rubber ball for JAPY gauges

JAPY



### 050200 CHAIN FOR OUTLET PLUG

Chain for milk outlet plug 050205



### 050201 PLASTIC PLUG FOR COVER

Plastic cap for JAPY lid Ø 175mm

JAPY, PRO-INOX



### 050202 PLASTIC PLUG FOR COVER

Plastic cap for ALFA-LAVAL lid Ø 195mm

ALFA LAVAL



### 050203 PLASTIC SCREW CAP FOR OUTLET

Plastic screw-cap - female - for SMS51 type valve. sold without seal



### 050204 PLASTIC PLUG FOR OUTLET VALVE

Plastic plug - male - for SMS51 butterfly valve. Sold without seal

ALFA LAVAL



### 050205 PLASTIC PLUG FOR OUTLET VALVE

Plastic plug for female DIN50 valve



### 050209 PLASTIC STOPPER CAP

Plastic stopper cap. Outer Ø 67mm. Diameter of hole to be closed 62mm. Overall thickness 10mm



### 050212 RUBBER PLUG Ø 80

Rubber plug Ø 80 for CFS - KRYOS vents and lids

*JAPY*



### 050214 RUBBER PLUG 51MM

Rubber plus Ø 51 ref 98041357-45

*JAPY*



### 050215 RUBBER PLUG 63MM

Rubber plug Ø 63 ref 7163020-32

*PROMINOX*



### 050217 PLUG MILK INLET PRO-INOX

Milk inlet plug male D76 for Pro-Inox manhole lid

*Available NX, PRO-INOX*



### 050218 PRO-INOX MILK INLET STOPPER HOLE Ø43MM

PRO-INOX milk inlet stopper with hole Ø43mm

*Available NX*



### 050535 STOPPING PLUG PL2

Stopping plug PL2 - sold by packs of 10.

*Available NX, PRO-INOX, PROMINOX*



### 050810 PROFILE GASKET PL2

Profile packing PL2. Sold by meter.

*PRO-INOX*



### 100201 AGITATOR DEFLECTOR FOR JAPY CV-CVS

Deflector for passage of agitator shaft through cover fitting on JAPY CV-CVS type tanks.

*JAPY*



### 100203 THERMOSTAT PLUG 90MM

Bulb plug 90mm - probe cover



### 580085 SCREW PLUG SMS76

Plug screw type fitting sms 76, black plastic

*PROMINOX, ALFA LAVAL, PACKO*



## E046 - LEGS - SUPPORTS



### 050302 TANK LEG GALVANISED STEEL 320MM

Galvanized steel tank feet - Ø 60mm - length 320mm. Fits Japy



### 050303 UE TANK LEG GALVANISED STEEL

UE Tank feet galvanised steel. - Ø 60mm - Length 220mm - Threaded on 115mm.



### 050306 SCREW-ON TANK LEG CVG

feet for cylindrical vertical CVG milk cooler mounted on ball joint with rubber pad



### 050307 TANK LEG CVG ALL STAINLESS STEEL

feet for cylindrical vertical CVG milk cooler mounted on plate



### 050310 TANK LEG RFT-CH SAV

Tank feet on plate for CVG

*PROMINOX, ALFA LAVAL*

## E047 - VENTS & MANHOLE SEALS



### 050211 MANHOLE SEAL ALFA EPDM

EPDM seal for manhole lid ALFA-LAVAL - PROMINOX

*ALFA LAVAL, PROMINOX*



### 050260 MANHOLE LID SEAL GRONINGEN

Manhole lid seal for HCA and HP type ALFA LAVAL milk coolers

*ALFA LAVAL*



### 050265 VENT PRO-INOX TANKS FC-FE-FEC

Stainless Steel vent for closed milk coolers PRO-INOX FC, FE and FEC.

*PRO-INOX*

## F012 - MILK COOLERS CVG-4BII



**Cylinder compact vertical milk coolers 4 milkings (4BII)**

540241	MILK COOLER CVG-200 4BII	1~
540341	MILK COOLER CVG-300 4BII	1~
540441	MILK COOLER CVG-400 4BII	1~
540541	MILK COOLER CVG-500 4BII	1~
540543	MILK COOLER CVG-500 4BII	3~
540641	MILK COOLER CVG-650 4BII	1~
540643	MILK COOLER CVG-650 4BII	3~
540841	MILK COOLER CVG-800 4BII	1~
540843	MILK COOLER CVG-800 4BII	3~
541041	MILK COOLER CVG-1000 4BII	1~
541043	MILK COOLER CVG-1000 4BII	3~
541241	MILK COOLER CVG-1250 4BII	1~
541243	MILK COOLER CVG-1250 4BII	3~
541541	MILK COOLER CVG-1500 4BII	1~
541543	MILK COOLER CVG-1500 4BII	3~
542043	MILK COOLER CVG-2000 4BII	3~
542543	MILK COOLER CVG-2500 4BII	3~

## F013 - MILK COOLERS CVG-2BII



**Cylinder vertical milk cooler - 2 milkings BII - single phase 220/240V 50Hz - 3 phase 380V-400V 50Hz - with conversion table and dip-stick - butterfly valve included. Non certified volume measuring not suitable for regulated use. Electronic controller MCSP305-B**

540050 MILK COOLER CVG-50 2BII 1~
540100 MILK COOLER CVG-100 2BII 1~
540200 MILK COOLER CVG-200 2BII 1~
540300 MILK COOLER CVG-300 2BII 1~
540421 MILK COOLER CVG-400 2BII 1~
540423 MILK COOLER CVG-400 2BII 3~
540521 MILK COOLER CVG-500 2BII 1~
540523 MILK COOLER CVG-500 2BII 3~
540621 MILK COOLER CVG-650 2BII 1~
540623 MILK COOLER CVG-650 2BII 3~
540821 MILK COOLER CVG-800 2BII 1~
540823 MILK COOLER CVG-800 2BII 3~
541021 MILK COOLER CVG-1000 2BII 1~
541023 MILK COOLER CVG-1000 2BII 3~
541223 MILK COOLER CVG-1250 2BII 3~
541523 MILK COOLER CVG-1500 2BII 3~
542023 MILK COOLER CVG-2000 2BII 3~



## F015 - MILK COOLERS CVG WO CONDENSING UNIT



**Cylinder vertical milk cooler body without condensing unit from 50 to 2500 liters. With conversion table and dip-stick. Non certified volume measuring not suitable for regulated use. Electronic controller MCSP305-B.**

570050 REFRIGERATED FARM MILK TANK CVG-50 WITHOUT CONDENSING UNIT

570100 REFRIGERATED FARM MILK TANK CVG-100 WITHOUT CONDENSING UNIT

570200 REFRIGERATED FARM MILK TANK CVG-200 WITHOUT CONDENSING UNIT

570300 REFRIGERATED FARM MILK TANK CVG-300 WITHOUT CONDENSING UNIT

570400 REFRIGERATED FARM MILK TANK CVG-400 WITHOUT CONDENSING UNIT

570500 REFRIGERATED FARM MILK TANK CVG-500 WITHOUT CONDENSING UNIT

570650 REFRIGERATED FARM MILK TANK CVG-650 WITHOUT CONDENSING UNIT

570800 REFRIGERATED FARM MILK TANK CVG-800 WITHOUT CONDENSING UNIT

571000 REFRIGERATED FARM MILK TANK CVG-1000 WITHOUT CONDENSING UNIT

571200 REFRIGERATED FARM MILK TANK CVG-1250 WITHOUT CONDENSING UNIT

572000 REFRIGERATED FARM MILK TANK CVG-2000 WITHOUT CONDENSING UNIT

572500 REFRIGERATED FARM MILK TANK CVG-2500 WITHOUT CONDENSING UNIT

## F017 - MILK COOLERS CVFG



### Cylinder compact vertical milk coolers 4 milkings (4BII) closed

- 540523F MILK COOLER CVFG-500 2BII 3~
- 540543F MILK COOLER CVFG-500 4BII 3~
- 540623F MILK COOLER CVFG-650 2BII 3~
- 540641F MILK COOLER CVFG-650 4BII 1~
- 540643F MILK COOLER CVFG-650 4BII 3~
- 540650F MILK COOLER CVFG-650 WITHOUT CONDENSING UNIT
- 540800F MILK COOLER CVFG-800 WITHOUT CONDENSING UNIT
- 540823F MILK COOLER CVFG-800 2BII 3~
- 540843F MILK COOLER CVFG-800 4BII 3~
- 541023F MILK COOLER CVFG-1000 2BII 3~
- 541043F MILK COOLER CVFG-1000 4 BII 3~
- 541200F MILK COOLER CVFG-1200 WITHOUT CONDENSING UNIT

## F018 - TITAN VERTICAL MILK COOLERS



**NEW SILO MILK COOLER 10000 to 40000 litres – AISI 304 stainless steel inner tank – Standard aluminium outer jacket – Tank is lying on a skirt – AISI 304 stainless steel dome - CFC-free insulation made with polyurethane foam – Pendular agitation with agitator motor – Stainless steel vent – Autoclave door on the lower part of tank – Outlet valve -Laser-welded bottom evaporator - 1 or 2 side evaporator(s) as an option – without condensing unit – without control and washing system – without ladder**

500610 MILK COOLER - PRO-INOX - TITAN - 10000 L Ø 2.3 M

500612 MILK COOLER - PRO-INOX - TITAN - 12000 L Ø 2.3 M

500615 MILK COOLER - PRO-INOX - TITAN - 15000 L Ø 2.3 M

500620 MILK COOLER - PRO-INOX - TITAN - 20000 L Ø 3 M

500622 MILK COOLER - PRO-INOX - TITAN - 20000 L Ø 2.3 M

500625 MILK COOLER - PRO-INOX - TITAN - 25000 L Ø 3 M

500630 MILK COOLER - PRO-INOX - TITAN - 30000 L Ø 3 M

500635 MILK COOLER - PRO-INOX - TITAN - 35000 L Ø 3 M

500640 MILK COOLER - PRO-INOX - TITAN - 40000 L Ø 3 M

## F020 - MILK COOLERS HSC



**Milk cooler semi-cylindrical horizontal type - capacity from 900 to 2000 litres - without condensing unit - with agitator and Versus-motor agitator motor - with Ø 51 outlet valve and threaded outlet - with MCSP 305-B control box**

520509 MILK COOLER - PRO-INOX - HSC - 900 L

520510 MILK COOLER - PRO-INOX - HSC - 1060 L

520512 MILK COOLER - PRO-INOX - HSC - 1200 L

520516 MILK COOLER - PRO-INOX - HSC - 1600 L

520520 MILK COOLER - PRO-INOX - HSC - 2000 L



## F030 - MILK COOLERS FC



**NEW CYLINDRICAL MILK COOLER - from 1100 to 3200 liters - without condensing unit - without control and washing system - with agitator and Versus motor agitator motor - inner and outer tank stainless steel AISI 304 - laser welded evaporator with direct expansion - injected polyurethane foam insulation - adjustable stainless steel legs - sealless manhole lid - Outlet valve Ø 76 SMS or DIN, DIN, RJT**

500111 MILK COOLER - PRO-INOX - FC - 1100 L

500114 MILK COOLER - PRO-INOX - FC - 1400 L

500116 MILK COOLER - PRO-INOX - FC - 1650 L

500120 MILK COOLER - PRO-INOX - FC - 2000 L

500126 MILK COOLER - PRO-INOX - FC - 2600 L

500132 MILK COOLER - PRO-INOX - FC - 3200 L

## F031 - MILK COOLERS FE



**NEW ELLIPTICAL MILK COOLERS** from 3550 to 8100 liters  
- without condensing unit - without control and washing system - with agitator and Versus motor agitator motor - inner and outer tank stainless steel AISI 304 - laser welded evaporator with direct expansion - injected polyurethane foam insulation - adjustable stainless steel legs - sealless manhole lid - Outlet valve Ø 76 SMS, DIN, RJT - ladder included.

500235 MILK COOLER - PRO-INOX - FE - 3550 L

500240 MILK COOLER - PRO-INOX - FE - 4000 L

500250 MILK COOLER - PRO-INOX - FE - 5000 L

500260 MILK COOLER - PRO-INOX - FE - 6000 L

500271 MILK COOLER - PRO-INOX - FE - 7100 L

500281 MILK COOLER - PRO-INOX - FE - 8100 L

## F032 - MILK COOLERS FEC



**NEW ELLIPTICAL MILK COOLERS ON SUPPORT FRAME**  
**from 10000 to 16000 liters - without condensing unit -**  
**without control and washing system - with agitator and**  
**Versus motor agitator motor - inner and outer tank**  
**stainless steel AISI 304 - laser welded evaporator with**  
**direct expansion - injected polyurethane foam insulation**  
**- adjustable stainless steel feet - sealless manhole lid -**  
**Outlet valve Ø 76 SMS, DIN, RJT - ladder included.**

500310 MILK COOLER - PRO-INOX - FEC - 10000 L

500312 MILK COOLER - PRO-INOX - FEC - 12500 L

500314 MILK COOLER - PRO-INOX - FEC - 14000 L

500316 MILK COOLER - PRO-INOX - FEC - 16000 L

## F033 - MILK COOLERS FSEC



**SUPER ELLIPTICAL MILK COOLERS ON SUPPORT FRAME**  
**from 10000 to 30000 liters - Without condensing unit -**  
**without control and washing system PL2 - with agitator**  
**and Versus motor agitator motor - inner and outer tank**  
**stainless steel AISI 304 - laser welded evaporator with**  
**direct expansion - injected polyurethane foam insulation**  
**- adjustable stainless steel feet - sealless manhole lid -**  
**Outlet valve Ø 76 SMS, DIN, RJT - ladder included.**

500312 MILK COOLER - PRO-INOX - FSEC - 12500 L

500410 MILK COOLER - PRO-INOX - FSEC - 10000 L

500414 MILK COOLER - PRO-INOX - FSEC - 14000 L

500416 MILK COOLER - PRO-INOX - FSEC - 16000 L

500418 MILK COOLER - PRO-INOX - FSEC - 18000 L

500420 MILK COOLER - PRO-INOX - FSEC - 20000 L

500425 MILK COOLER - PRO-INOX - FSEC - 25000 L

500430 MILK COOLER - PRO-INOX - FSEC - 30000 L



## F034 - MILK COOLERS GIGANT



**SUPER ELLIPTICAL MILK COOLERS ON SUPPORT FRAME**  
from 20000 to 30000 liters - Without condensing unit -  
without control and washing system PL2 - with agitator  
and Versus motor agitator motor - inner and outer tank  
stainless steel AISI 304 - laser welded evaporator with  
direct expansion - injected polyurethane foam insulation  
- adjustable stainless steel feet - sealless manhole lid -  
Outlet valve Ø 76 SMS, DIN, RJT - ladder included.

500520 MILK COOLER - PRO-INOX - GIGANT - 20000 L

500525 MILK COOLER - PRO-INOX - GIGANT - 25000 L

500530 MILK COOLER - PRO-INOX - GIGANT - 30000 L

## F036 - C-STORM SPARE PARTS



### 013000 C-STORM ELECTRONIC CONTROL BOX

C-STORM Complete electronic control box



### 013001 C-STORM BASE BOARD

C-STORM Base board



### 013002 C-STORM KEYBOARD CARD

C-STORM Keyboard card



### 013004 C-STORM KEYPAD FOIL

C-STORM Keypad foil



### 013005 C-STORM TRANSPARENT KEYPAD FOIL

C-STORM Transparent keypad foil

## F040 - ICE BUILDERS



**Ice builder G - ice building capacity: 300 to 4872 kg.**

**For further information please contact us or visit our website [www.galactea.eu](http://www.galactea.eu).**

- 641013 ICE BUILDER IB 960KG
- 641014 ICE BUILDER IB 1280KG
- 641015 ICE BUILDER IB 1500KG
- 641016 ICE BUILDER IB 2050KG
- 641017 ICE BUILDER IB 2400KG
- 641018 ICE BUILDER IB 3000KG
- 641019 ICE BUILDER IB 3456KG
- 641020 ICE BUILDER IB 4032KG
- 641021 ICE BUILDER IB 4872KG

## F052 - MOBILE MILK COOLERS



### **MOBILE MILK COOLERS WITH AUTONOMOUS COOLING.**

**TANK:** Inside and outside in stainless steel AISI 304

- Injected polyurethane foam insulation
- Laser welded evaporator - Waterproof manhole, cover with seal
- Draining diameter 76mm with reducer SMS 51 or DIN 50 (on request)

### **AGITATION:** Versus motor agitator motor

- Programmable automatic cyclic agitator motor
- Three-blade agitator for blade break function, limits balancing during transport.

### **COOLING EQUIPMENT:** Condensing unit with SCROLL type compressor

- Refrigeration piping with ANACONDA type hoses- Pressure switches for compressor
- Refrigerant R449a - Electronic control MCSP 305B.

### **WASHING:** Rotary diffuser

- Sticking on front with SMS 25 connection
- Optional: automatic wash box with detergent bowl or dosing pumps.

### **OPTION:**

**SDMO thermal generator with manual start; 6.5 KW; Petrol; Up to 3 hours of autonomy**

052105 REFRIGERATED MOBILE BULK TANKS - PRO-INOX - CRM - 650L

052106 REFRIGERATED MOBILE BULK TANKS - PRO-INOX - CRM - 800L

052107 REFRIGERATED MOBILE BULK TANKS 1000L

060101 MOBILE HORIZONTAL AND CYLINDRICAL 500 L VAT - SINGLE WALL

060102 MOBILE HORIZONTAL AND CYLINDRICAL 800 L VAT - SINGLE WALL



## F060-15 - WASH & CONTROL PANELS SERVICE



### 010385 MOBILE WASH CONTROL PANEL WITH DETERGENT BOWL

Mobile wash control panel, including :

- UMS-02 programmer
- wash pump - dump valve
- holder and detergent bowl



### 010386 MOBILE WASH CONTROL PANEL WITH DOSING PUMPS

Mobile washing panel consisting of:

- programmer UMS-02
- washing pump
- drainage solenoid valve
- dosing pumps
- selection button
- product rods



### 509301 PRO-INOX C-STORM CONTROL AND WASH PANEL

Wash panel with electronic C-Storm regulation. Mounted on the left on PRO-INOX tanks for PRO-INOX tanks up to 10000 litres - Electronic regulation of cooling / agitation / washing functions. - Low voltage dosing pumps for automatic pick-up of detergent products - All stainless steel cover easy and quick to dismantle - Washing pump - Drain elbow DN40



### 509301 PRO-INOX C-STORM CONTROL AND WASH PANEL

Wash panel with electronic C-Storm regulation. Mounted on the left on PRO-INOX tanks for PRO-INOX tanks up to 10000 litres - Electronic regulation of cooling / agitation / washing functions. - Low voltage dosing pumps for automatic pick-up of detergent products - All stainless steel cover easy and quick to dismantle - Washing pump - Drain elbow DN40



### 509903 CONTROL AND WASH PANEL PL2 RH INSTALLATION - FOR SERVICE

Washing cabinet with electronic PL2 controller. For right-handed installation on GALACTIC CH - HCA tanks up to 10000 litres. - Electronic control of cooling / agitation / washing functions. - Alarm in case of malfunction (cooling time too long, washing temperature to low, etc.) - Direct view showing significant parameters of the last 5 cycles (cooling time and temperature, washing temperature and cycle, etc.) - test function - Low voltage dosing pumps for automatic detergent intake - Easily removable stainless steel cover - Vertical washing pump - D40 drain elbow - Supplied with connection pipe for drain valve and 6 m of electric cable for linking condensing unit to the cabinet.



### 509904 CONTROL AND WASH PANEL PL2 LH INSTALLATION FOR SERVICE

Wash panel with electronic PL2 controller. For installation on the left hand side of PRO-INOX Milk coolers up to 10000 liters. - Electronic control of cooling / agitation / washing functions. - Alarm in case of malfunction (cooling time too long, washing temperature to low, etc.) - Direct view showing significant parameters of the last 5 cycles (cooling time and temperature, washing temperature and cycle, etc.) - Test function - Low voltage dosing pumps for automatic detergent intake - Easily removable Stainless Steel cover - Vertical washing pump - D40 drain elbow - Supplied with connection pipe for drain valve and 6 m of electric cable for linking condensing unit to the cabinet.

## G010 - MILKING TROLLEYS



**1 or 2 station mobile milking trolleys, electric or combustion engine on request**



**For cow, goat, sheep, buffalo**

300314 EM MNI X MILKING TROLLEY

300315 EM 1 X MILKING TROLLEY

300316 EM 2 XC MILKING TROLLEY

300317 EM 2 XB MILKING TROLLEY

300318 EM 3 X MILKING TROLLEY

300319 EM 4 X MILKING TROLLEY

300414 OPTION POMPE A HUILE CHARIOT TRAYEUR

300414 OPTION POMPE A HUILE CHARIOT TRAYEUR 300314

300416 OPTION POMPE A HUILE CHARIOT TRAYEUR 300316

300417 OPTION POMPE A HUILE CHARIOT TRAYEUR 300317

300418 OPTION POMPE A HUILE CHARIOT TRAYEUR 300318

300419 OPTION POMPE A HUILE CHARIOT TRAYEUR 300319

## G020 - MILK CANS



**Milk cans from 10 to 50 litres; made of stainless steel, almasillium or aluminium. Hinged lid or removable lid.**

**For further information please contact us or visit our website [www.galactea.eu](http://www.galactea.eu).**

050707 10 L MILK CAN STAINLESS STEEL

050709 20 L MILK CAN STAINLESS STEEL

050713 MILK CAN 40L STAINLESS STEEL

050722 MILK CAN 20L ALUMINIUM HINGE

050741 MILK CAN 10L STAINLESS STEEL HINGE

050743 MILK CAN 30L STAINLESS STEEL HINGE

050750 MILK CAN COOLER NX1

## G021 - ISOTHERMAL BOXES



### 569270 STAINLESS STEEL ISOTHERMAL BOX

Isothermal box, to keep samples for the milk collection.



### 569275 ISOTHERMAL BOX SEAL

Isothermal box seal



## G030 - MILK PUMPS



**Single phase milk pumps with accessories. Different flow rates.**

**For further information please contact us or visit our website [www.galactea.eu](http://www.galactea.eu)**

- 040395 MILK PUMP ALM25-1400 1-PHASE
- 040396 MILK PUMP ALM30-2800 1-PHASE
- 040397 TRANSFER PUMP 1-PHASE
- 040398 MILK PUMP ALM50-1400 1-PHASE
- 040485 ELBOW CONNECTION STAINLESS STEEL D25
- 040486 ELBOW CONNECTION STAINLESS STEEL D30
- 040487 ELBOW CONNECTION STAINLESS STEEL D40
- 040488 ELBOW CONNECTION STAINLESS STEEL D50
- 040495 STRAIGHT CONNECTION STAINLESS STEEL D25
- 040496 STRAIGHT CONNECTION STAINLESS STEEL D30
- 040497 STRAIGHT CONNECTION STAINLESS STEEL D40
- 040498 STRAIGHT CONNECTION STAINLESS STEEL D50

## H010 - PASTEURIZERS



For further information please contact us or visit our website [www.galactea.eu](http://www.galactea.eu)

501102 MILK PASTEURIZER KMP 100

501103 MILK PASTEURIZER KMP 200

501104 MILK PASTEURIZER KMP 300

501105 MILK PASTEURIZER KMP 450

501161 MILK PASTEURIZER WP 50

501162 MILK PASTEURIZER WP 100

501163 MILK PASTEURIZER WP 200

501164 MILK PASTEURIZER WP 300

501165 MILK PASTEURIZER WP 450

## H015 - CHEESE VATS



For further information please contact us or visit our website [www.galactea.eu](http://www.galactea.eu)

501187 CHEESE MAKING VAT KBB 500

501188 CHEESE MAKING VAT KBB 600

501189 CHEESE MAKING VAT KBB 800

501190 CHEESE MAKING VAT KBB 1000

501191 CHEESE MAKING VAT KBB 1200

501192 CHEESE MAKING VAT KBB 1500

## H018 - MILK PASTEURIZERS & CHEESE VATS SPARE PARTS



### 501111 FEETS KMP/WP 100L

3 stainless steel feet for model KMP/WP 100 liters



### 501112 FEETS KMP/WP 200-300L

3 stainless steel feet for models KMP/WP 200 & 300 liters



### 501113 FEETS KMP/WP 450L

3 stainless steel feet for models KMP/WP 450 liters



### 501156 HEATER 8,4 kW KMP/WP

8,4 kW heater for KMP/WP models



## J121 - CUPS - TRANSPARENT POLYPROPYLENE



**We can supply all types of standard or customized cups.**

**Please contact our sales department!**

**Please visit our website at [www.galactea.eu](http://www.galactea.eu) to see our whole range of products**

002521 CUP D.068 100 CC PP TR
014051 CUP D.068 150 CC PP TR CSI
018399 CUP D.115 500 CC PP TR
018630 CUP D.068 085 CC PP TR
020773 CUP D.075 150 CC PP TR
024763 CUP D.095 500 CC PP TR CSI
025144 CUP D.095 250 CC PP TR CSI
030453 CUP D.115 500 CC PP TR ECO
030605 CUP D.115 250 CC PP TR
032286 CUP D.068 125 CC PP TR GPE CSI
032330 CUP D.068 125 CC PP TR PPE CSI
032572 CUP D.095 150 CC PP TR CSI
032573 CUP D.095 100 CC PP TR

# J141 - LIDS - HELIO - 68MM

We can supply all types of standard or customized lids.



Please contact our sales department!

Please visit our website at [www.galactea.eu](http://www.galactea.eu) to see our whole range of products

561020-H NATURAL FLAVORS

561021-H RASPBERRY

561022-H STRAWBERRY

561023-H PINEAPPLE

561024-H APRICOT

561025-H BANANA

561026-H LEMON

561027-H TANGERINE

561028-H BLACKBERRY

561029-H BLUEBERRY

561030-H COFFEE

561031-H CHOCOLATE

561032-H NUTS

561033-H TOFFEE

561034-H PLUM

561035-H PEAR

561037-H RED CHERRIES

561039-H PEACH

561041-H VANILLA

561042-H FOREST FRUITS

561044-H ORANGE

561051-H RHUBARB


561053-H CURRENT

561064-H MANGO

561111-H MIRABELLE

561112-H PASSIONFRUIT

## J170 - CUP TRAYS



**We can supply all types of standard or customized cup trays.**

**Please contact our sales department!**

**Please visit our website at [www.galactea.eu](http://www.galactea.eu) to see our whole range of products**

---

560602 TRAYS FOR 2 CUPS - 55MM

---

560602 TRAYS FOR 2 CUPS - 68MM

---

560604 TRAYS FOR 4 CUPS - 55MM

---

560604 TRAYS FOR 4 CUPS - 68MM

---

560606 TRAYS FOR 6 CUPS - 68MM

---



## Table of Contents

A010 - COMPRESSORS - DANFOSS-MANEUROP	1
A012 - COMPRESSORS - UH-TECUMSEH	2
A015 - COMPRESSORS - COPELAND	3
A018 - COMPRESSOR ACCESSORIES	4
A019 - ROTALOCK VALVES & SHUT-OFF VALVES	5
A025-01 - SCROLL COPELAND CONDENSING UNITS 3-PHASE	7
A025-03 - COMPLETE POWER SWITCH BOXES	8
A025-06 - SCROLL COPELAND CONDENSING UNITS SINGLE PHASE	9
A027 - UH PISTON CONDENSING UNITS	10
A030 - EXPANSION VALVES - ORIFICES	11
A032 - REFRIGERANT VALVES	16
A033 - PRESSURE SWITCHES	18
A034-10 - CONDENSERS - GALACTEA PRO-INOX	20
A034-20 - CONDENSORS - PROMINOX	21
A034-50 - REFRIGERANT RECEIVERS	22
A035 - FILTER DRYERS	23
A036 - REFRIGERANT SIGHT GLASSES	25
A041 - FANS - ELCO	26
A042 - FANS - ZIEHL ABEGG	27
A060 - DEEPCOOL	28
A070 - INSULATING FOAM	29
A075-10 - SOUDURE - BRASURE	30
B020 - PLATE-TYPE EXCHANGERS	31
B033-20 - ENERGY-Nx SPIRAL HEAT EXCHANGERS PVC JACKET	32
B035-10 - HEAT RECOVERY SYSTEMS - HEATERS	33
B035-20 - HEAT RECOVERY SYSTEMS - SPARES	34
B040 - TWIST & COOL	36
C010-90 - AGITATOR MOTORS WITH RETURN ANGLE	37
C020-05 - TERMINAL BOXES - SIREM COMPATIBLE	38
C020-10 - STATORS - SIREM COMPATIBLE	39
C020-15 - ROTORS - SIREM COMPATIBLE	41
C020-20 - 1ST GEAR WHEELS - SIREM COMPATIBLE	42
C020-21 - 2ND GEAR WHEELS - SIREM COMPATIBLE	44
C020-24 - SLIDING BEARINGS - SIREM COMPATIBLE	46
C020-25 - OUTPUT WHEELS - SIREM COMPATIBLE	47
C020-26 - SHAFTS - SIREM COMPATIBLE	48
C020-40 - FLANGES - SIREM COMPATIBLE	51
C020-50 - SEALS AND GREASE - SIREM COMPATIBLE	53
C020-60 - NP WASH BOXES - SIREM COMPATIBLE	54
C020-70 - FAN COVERS & BLADES - SIREM COMPATIBLE	55
C021 - BEARINGS	56
C030 - AGITATION - SPARES	57
C040-50 - BARACUDA AGITATOR MOTORS V2	58
C045-10 - NEMO AGITATOR MOTORS	61
C045-20 - NEMO SHAFTS	62
C045-30 - NEMO MOUNTING FLANGES	65
C045-40 - NEMO AGITATOR KITS	66
D011 - WASH PUMPS - HANNING	76
D020 - WASH PUMPS - SPARES - SIREM COMPATIBLE	77
D030-141 - DRAIN VALVE N.C. D40-24V	80
D030-142 - DRAIN VALVE N.C. D40-230V	81
D030-143 - DRAIN VALVE N.C. D40-400V	82
D030-144 - DRAIN VALVE N.O. D40-230V	83
D030-151 - DRAIN VALVE NC & NO D50	84
D031 - SOLENOID COILS DRAIN & SUPPLY VALVES	85
D035 - DIAPHRAGMS	87
D036 - AIR-, SUCTION- AND 3-WAY VALVES	89
D037-02 - SOLENOID WATER SUPPLY VALVES 400V	90
D037-11 - SOLENOID SIMPLE WATER SUPPLY VALVES 230V	91
D037-12 - SOLENOID DOUBLE WATER SUPPLY VALVES 230V	93
D041 - RUBBER ITEMS	95
D042 - SPRAY HEADS	98
D043 - DETERGENT INTAKE - BOWLS - JUGS	99
D044 - WATER SUPPLY AND FITTINGS CLEANING SYSTEM	102
D045 - PERISTALTIC PUMPS AND ACCESSORIES	103
D046 - WATER LEVEL SENSING	106
D049 - ACCESSORIES CLEANING SYSTEM	107
E010 - CONTROL AND REGULATION	108





E011 - MILK COOLER ELECTRICAL SPARES .....	112
E012 - TEMPERATURE PROBES (SENSORS) .....	113
E013 - CAPACITORS .....	115
E014 - KEYPADS & OVERLAYS .....	117
E020-12 - SS MANUAL BUTTERFLY VALVES SMS51 .....	120
E020-14 - SS MANUAL BUTTERFLY VALVES SMS76 .....	121
E020-32 - SS MANUAL BUTTERFLY VALVES DN50 .....	122
E020-50 - SS MANUAL BUTTERFLY VALVES SMS-DIN .....	123
E021 - SS PNEUMATIC BUTTERFLY VALVES .....	124
E022 - SS FITTINGS .....	125
E025 - VALVE SEALS AND SS COUPLINGS .....	127
E041 - DIP-STICKS - PINS - CALIBRATION CHARTS .....	129
E043 - SPRINGS - HINGES .....	130
E044 - LADDERS - STEP STOOLS .....	132
E045 - PLUGS - COVERS - DEFLECTORS .....	133
E046 - LEGS - SUPPORTS .....	136
E047 - VENTS & MANHOLE SEALS .....	137
F012 - MILK COOLERS CVG-4BII .....	138
F013 - MILK COOLERS CVG-2BII .....	139
F015 - MILK COOLERS CVG WO CONDENSING UNIT .....	140
F017 - MILK COOLERS CVFG .....	141
F018 - TITAN VERTICAL MILK COOLERS .....	142
F020 - MILK COOLERS HSC .....	143
F030 - MILK COOLERS FC .....	144
F031 - MILK COOLERS FE .....	145
F032 - MILK COOLERS FEC .....	146
F033 - MILK COOLERS FSEC .....	147
F034 - MILK COOLERS GIGANT .....	148
F036 - C-STORM SPARE PARTS .....	149
F040 - ICE BUILDERS .....	150
F052 - MOBILE MILK COOLERS .....	151
F060-15 - WASH & CONTROL PANELS SERVICE .....	152
G010 - MILKING TROLLEYS .....	153
G020 - MILK CANS .....	154
G021 - ISOTHERMAL BOXES .....	155
G030 - MILK PUMPS .....	156
H010 - PASTEURIZERS .....	157
H015 - CHEESE VATS .....	158
H018 - MILK PASTEURIZERS & CHEESE VATS SPARE PARTS .....	159
J121 - CUPS - TRANSPARENT POLYPROPYLENE .....	160
J141 - LIDS - HELIO - 68MM .....	161
J170 - CUP TRAYS .....	162
J170 - CUP TRAYS .....	163



**GALACTEA GROUP**  
Milk Coolers & Spare Parts

## **GALACTEA GROUP**

Rue Général De Gaulle  
42110 CLEPPE - FRANCE

Tél: +33 (0)477 260 440 - Fax : +33 (0)428 040 510

info@galactea.eu - [www.galactea.eu](http://www.galactea.eu)

SAS au capital de 1 000 000€

SIRET : 43290344100025 - TVA FR33432903441

We are not liable if these characteristics or specifications are changed without prior notice.  
Photographs not binding.



CAT\_GENERAL\_2020\_V4\_EN